

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
**WO 2004/026888 A2**

- (51) International Patent Classification<sup>7</sup>: **C07H** (72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Phillip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (21) International Application Number: **PCT/US2003/029577**
- (22) International Filing Date:  
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

BEST AVAILABLE COPY



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *without international search report and to be republished upon receipt of that report*

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a



- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
pathway is measured quantitatively and the response mediated by the TLR9 signal  
transduction pathway associated with each of the plurality of test compounds is compared  
with a response arising as a result of an interaction between the functional TLR9 and a  
reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
(porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

## SEQ ID NO:1 (Rat TLR9)

5 MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDFVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNIVLDASSLAGLSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 10 LLSYNLIVKLGAEDLANLTSIRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFLYESINKTSFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLNKNLTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 15 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLD FSGNGVGRMWDEEDLYLYFFQDLRS LIHLDLSQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGSL  
 AVAVGTVLPLQLHLCGWDVWYCFHLCLAWPLLLTRGRSAQALPYDAFVVFDAQSAVADWVYNELRVRLERRG  
 20 RRALRLCLEDRDWLPQGLTFENLWASIYGRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDRKDVVVLVILRPDA  
 HRSRYVRLRQLRQSVLFWPHQPNQGGSFWAQLSTALTRDNHHFYNNRNFRCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

20 MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDFVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNIVLDASSLAGLSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSIRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFLYESINKTSFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 25 FRLNKNLTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLD FSGNGVGRMWDEEDLYLYFFQDLRS LIHLDLSQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 30 MNLTVLVDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG

## SEQ ID NO:3 (Rat TLR9)

atgggtctctgtgcgcaggaccctgcaccccttgcctctcctggtacaggccgcagtgctggctgaggctctggcc  
 ctgggtaccctgcctgccttctaccctgtgaactgaagcctcatggcctggttagactgcaactggctcttctctg  
 aagtctgtgcctcacttctctgcgcgagaacccggtcccaacatcaccagcctttccttgatcgccaaccgcatc  
 35 caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
 cctggcctcagcccttgcacttctcctgcccgcagatgaccattgagcccaaaccttctggtctatgcgcagctg  
 gaagagctgaacctgagctataacgggtatcaccactgtgccccgctgcccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
 40 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctggtgctgagcaac  
 ctccaccactgtcccttaagtataacaacctcacagaggtgccccgcaactgccccccagcctggagtagctc  
 ctgctgtcctataacctcatcgtaagctggggcggaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgccgtcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtcccttgatctg  
 caccctcagactttccatcacctgagccacctgaaggcctggtgtgaaggacagttctctccactcgctgaac  
 45 tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
 aaaacagcgcttctcagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
 ttgcggcgctccacctggcaagttccttcaagagcctggtgtcgctgcaggagctgaacatgaacggcatcttc  
 ttccgcttactcaacaagaacacgctcaggtggctggctggtctgcccagctccacacgctgcaccttcaaatg  
 aatttcatcaaccaggcgcagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat  
 50 cgcacagcggcctccaacgctgtccagagctgccccgaaaaggcagacgaggcggagaaggggttccatgg  
 cctgcaagctcaccacagctctcccgagcactcccgctctcaagaacttcatggctcaggtgtaagaacctcaga  
 ttccacatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
 tgtctgagcctgagccacaactgcatcgcgaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacaggtgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tcagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
ttctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgtctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggccccattgtg  
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccttctgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcaggccgc  
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggccgtgggacgggtgttgcctttactgcagcatctctgcggctgggacgtctggtactgtttccatctg  
tgcttggcatggctacctttgctgacctgtggcggcgagcgcccaagctctcccttatgatgccttcgtgggtg  
ttcgataaggcgagagcgcggttgcgtgactgggtgtataacgagcttcgagtgccggttagaggagcgcgcggt  
15 cgccgagccctacgttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctggggc  
tccatctatggcagccgcaagactctgtttgtgctggccacacggaacaaggtcagtggtgctcctgcgcaccagc  
ttctgtgctggctcagcagcgctgctggaggaccgcaaggacgtggtggtgttggtgatcctgcgcctgatgcc  
caccgctcccgctacgtgcgactgcgccagcgctctgcgccagagtgctcttctggccccatcagcccaac  
gggcaggcgagcttctgggcccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atggttctctgtcgcaggacctgcaccccttgtctctcctggtacaggccgcagtgctggctgaggctctggcc  
ctgggtaccctgcctgccttccctaccctgtgaactgaagcctcatggcctggttagactgcaactggctcttctctg  
25 aagctgtgctcacttctctgcgcgagaacccccgttccaacatcaccagcctttccttgatcgccaaccgcatc  
caccacctgcacacctcgactttgtccacctgcccacactgcgacagctgaacctcaagtgaactgtccgccc  
cctggcctcagccccctgcaacttctcctgcgcctatgaccttgagcccaaaccttccctggctatgcgcactgtg  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctctcatggac  
30 gggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgcctgccccagcctggagtagctc  
ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattccgtcgtgtgatcacgccccgcacactctgtacagaatgcccgcagaagtcccttgctctg  
caccctcagactttccatcacctgagccacctgaaggcctgtggtgctgaaggacagttctctcaactcgtgaac  
35 tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaacttctctacgagagcatcaac  
aaaaccagcgctttcagaacctgacctgctgcgcaagctcgacctgtccttcaattactgcaagaaggatctcg  
ttcgcccgctccacctggcaagttccttcaagagcctgggtgctcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcagggtggctggctggtctgcccagctccacacgctgcaccttcaaatg  
aatttcatcaaccaggcgagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat  
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaagggggttccatgg  
cctgcaagtctcaccaccgctctcccgagcctcccgctctcaagaacttcatggtcagggtgaagaacctcaga  
ttcaccatggacctgtctcggaacaaccagggtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcctgcgcagggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac  
tacctcccaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagctctggcc  
50 ttctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgtctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccttctgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcaggccgc  
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc



- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELPQHLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 RTNIVLDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNLLEVPRLPPSLETLL  
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLSLNLSFNYHKKVSFAHLHLAPSFGLHLSRLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLP  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRV  
 10 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNLAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGLP SRVKCSGPGQLQGH SIFAQDLRLCLDETLSWNCFGISLLAM  
 ALGLVVPMLHHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRRRA  
 15 LRLCLEERDWPGLKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPDAYRS  
 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHFFYNRNFCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELPQHLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 20 RTNIVLDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNLLEVPRLPPSLETLL  
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLSLNLSFNYHKKVSFAHLHLAPSFGLHLSRLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLP  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRV  
 25 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNLAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGLP SRVKCSGPGQLQGH SIFAQDLRLCLDETLSWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcactgtagctgctgcccggctctgccagccagaccctttggagaagacccccactccctgt  
 catgggcccccgctgcaccctgcacccctttctctctctgctgaggtgacagcgctggctgcggctctggccca  
 gggcaggctgcctgccttcctgcctgtgagctccagcccccagggcctggtaactgcaactgctctctgaa  
 gtccgtgccccactctcggcgccagcgccccggcccaactgcaccagcctctccttactctccaacgcgcatcca  
 35 ccactgcacgactccgacttcgtccactgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
 tggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacaccttctgcccgtgcccaccctgga  
 ggagctgaacctgagctacaacagcatcacgacgtgctgcccctgcccactccctcgtgctcctgtcgctgag  
 ccgaccaacatcctggtgctagacccccacacctcactggcctacatgcctgcgctacctgtacatggatgg  
 caactgctactacaagaacccctgccagggggcgctggaggtggtgcccgggtgccctcctcgccctgggcaacct  
 40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct  
 gttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgcctgcccgtgcttgatgt  
 gggggggaactgcccgcctgtgacctgcccgaacccctgcagggagtgcacaaaggaccaccccaagctgca  
 ctctgacaccttcagccacctgagccgcctcgaaggcctggtgtgaaagacagttctctctacaacctggacac  
 caggtggttccgaggcctggacaggctccaagtgtgacctgagtgagaacttctctacgactgcatcaccac  
 45 gaccacggccttccaggcctggcccgactgcgcagcctcaacctgtccttcaattaccacaagaagggtgtcctt  
 tgcccacctgcacctggcaccctcctttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt  
 ccgctcgtcagtgagaccagctccaacctctggtccaactgcctatgctccagacctgcgcctgcagatgaa  
 cttcattaaccaggcccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggaacacg  
 catcagcggagctgcaaggccagtgccattactaggaggtggatggtaggagagggtctggtgcttccag  
 50 gaacctcgtccacgtccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac  
 ctggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgccctctcacgcctcgagtgcct  
 gcgcctgagccacaacagcatctcccaggcggtcaatggctctcagtttgctgcccgtgaccagcctgcgggtgct  
 ggacctgtcccacaacagctggacctgtatcagggcgctcggttcacggagctgccgcgcttggagcactgga  
 cctcagctacaatagccagccctttaccatgcagggtgtgggccacaacctcagcttcgtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtgctccagcagctctgtagcgccctactgtg  
cgccctggacttttagcggaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
cctaagaagcctagctgtggtggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacct  
5 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
ccagctgcccagggtggacctcagtggaacagcatcggtttgtgaacctggccttcttggccctggccaagca  
gttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
cctgaaagtccctagacgtgagcgccaacctctgcactgtgacctgtggggcgaccttctgtgggttctctgtgga  
10 ggtacaggctgcccgtgctgggctgccagccgctcaagtgtggcagtcggggcagctccagggccatagcat  
cttggcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggcatctcgctgctggccat  
ggccctgggctgggttgtgcccactgtgcaccacctctgcggctgggacctctggtactgcttccacctgtgct  
ggcctggctgccccaccgagggcagcgcggggagcagcgcctgttctatgatgccttcgtggtctttgacaa  
agctcagagtgctgtggccgactgggtgtacaacgagctgcccgtgacgtggaggagcgcgctggggcgccgagc  
actgcgctgtgctggaggagcgagactgggtacctggcaagacgctcttcgagaacctgtgggctcagctcta  
15 cagcagccgcaagacctgttggctggccccacacggacctgtcagcgccctcttgcgtgccagtttctgct  
ggccagcagcgctgctggaggaccgcaaggactgttagtgctgggtgatcctgcgccccgagctccacctc  
ccgtacgtgcccgtgcccagcgctctgcggccagagtgtcctcctctggccccaccagccccgtggcgagg  
cagcttctgggcccagctgggacagccctgaccagggacaaccaccttctataaccggaacttctgccgggg  
cccaacgacagccgaatagcactgagtgcagcgccagtgtgccccagccccctggatttgcctctctgctgggg  
20 tgcccaacctgcttggctcagccacacctgctctgctcctgttccccacccccccccagcctggcatgt  
aacatgtgccaataaatgctaccggaggggccaagaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atggggcccccgctgcacctcgcacctcttctctcctgggtgcaggtgacagcgctggctgcccgtctggcccag  
25 ggcaggtgcctgcttctgcccctgtgagctccagccccacggcctgggtgaactgcaactggcttctctgaag  
tccgtgccccacttctcgccggcagcgccccggccaacgtcaccagcctctccttactctccaaccgcatccac  
cacctgcacgactccgacttctgcccactgtccagcctacgaactctcaacctcaagtggaaactgcccgcggct  
ggcctcagccccatgacttcccctgccacatgacctcgagcccaacaccttcttggccgtgcccacctggag  
30 gagctgaacctgagctacaacagcatcagcagcgtgctgcccctgcccagctccctcgtgtccctgtcgctgagc  
cgacccaacatcctggtgctagacccccacacctcactggcctacatgcccctgcgctacctgtacatggatggc  
aactgctactacaagaacctgcccagggggcgctggaggtggtgcccgggtgccctcctcgccctgggcaacctc  
acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgtgt  
ttgtcctacaaccacatgtgcacctgagcctgaggacctggccaatctgactgcccctgcgctgcttgatgtg  
35 ggggggaactgcccgcgctgtgacctgcccgcacccccctgcagggagtgcacaaaggaccacccccagctgcac  
tctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaagacagttctcttacaacctggacacc  
agggtggttcggaggcctggacaggtccaagtgtggacctgagtgagaacttctctacgactgcatcaccaag  
accacggccttccagggcctggcccagctgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
gcccacctgcacctggcacctccttgggcacctccggtccctgaaggagctggacatgcatggcatcttcttc  
cgctcgctcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcgctgcagatgaac  
40 ttcatttaaccaggcccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggacaaccgc  
atcagcggagctgcaaggccagtgccattactaggagggtggatggtagggagagggctggtgcttccagg  
aacctcgctccacgtccactggacactctccgctcagaggacttcatgcccactgcaaggccttcagcttcacc  
ttggacctgtctcggaacaacctggtgacaatccagtcggagatgttggctgcctctcacgcctcgagtgcctg  
cgctgagccacaacagcatctcccagcggtcaatggctctcagtttgtgcgctgaccagcctgcccgtgctg  
45 gacctgtcccacaacagctggacctgtatcacggcgctcgttcacggagctgcccgcctggaagcactggac  
ctcagctacaatagccagccctttaccatgcagggtgtggggccacaacctcagcttctgtggcccagctgcccgc  
ctgcgtacctcagcctggcgacacatgacatccatagccgagtgctccagcagctctgtagcgctcactgtgc  
gcctgggactttagcggaacgatctgagccggatgtggcctgagggtgagggagacctctatctccttccaaggc  
ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccagctgcccctggacaacctc  
50 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
cagctgcccagggtggacctcagtggaacagcatcggttctgtgaacctggcttcttggccctggccaagcag  
ttagaagagctcaacctcagcgccaatgcctcaagacagtgaggccctcctgggttggctcgatgggtggcaca  
gtgaaagtccctagcgtgagcgccaacctctgcactgtgctgtggggcgaccttctgtgggttctctgtggag  
55 gtacaggctgcccgtggtggcgcagcgctcaagtgtggcagtcggggcagctccagggccatagcatc  
tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVLSLS  
5 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCCPRALEVAPGALLGLGNLTHLSLKYNNTLTPRRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDHMGIFF  
RSLTNTITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
10 LSHNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
KILDVSANPLHCACGAAFVDLFLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGSLLMVA  
LGLAVPMLHHLGWDLYCFHLCLAHLPRLRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL  
15 RLCLBERDWLPGKTLFENLWASVYSSRKTMTFVLDHTDRVSGLLRASFLLAQQRLLEDKRDVVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGIALTRDNRHFYNRNFCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVLSLS  
20 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCCPRALEVAPGALLGLGNLTHLSLKYNNTLTPRRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDHMGIFF  
RSLTNTITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
25 LSHNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
KILDVSANPLHCACGAAFVDLFLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG  
30

## SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgccaagcatccttcctgcagctgcctcccaacctgcccgccagaccctctggagaagccgcat  
tcctgtcatgggcccctactgtgccccgcaccccccttctctcctggtgcaggcggcgccactggcagcgccc  
tgccgagggcaccctgcctgccttcctgcctgtgagctccagcccatggcaggtggactgcaactggctgt  
35 tcctgaagtctgtgccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaacc  
gcatccaccacttgcatgactctgacttcgtccacctgtccaacctggggctcctcaacctcaagtggaaactgcc  
cgccggccggcctcagccccatgcacttccttcgctatgacctcgagcccaacaccttcctggctgtgccca  
ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgccctgccagttcctcgtgtccctgt  
cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgccctgcgctttctgtaca  
40 tggacggcaactgctactacatgaaccctgcccggggcctggaggtggccccaggcgccctcctcgccctgg  
gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcccgtgccccccagcctggaca  
ccctgtgctgtcctacaaccacattgtcacctggcaccgaggacctggccaacctgactgccctgcgctgtgc  
ttgacgtgggtgggaactgccgcgctgcgacctgcccgaaccctgcagggagtgcccaagaacttcccc  
agctgacccctgacaccttcagtcacctgagccgcctcgaaggcctggtgttgaggacagttctctctacaac  
45 tagagaaagattggttcggcgccctgggagcctccaagctcgacctgagtgagaacttcctctatgactaca  
tcaccaagaccaccatcttcaacgacctgacctgagctgcgagactcaacctgtccttcaattaccacaagaagg  
tgtccttcgcccacctgcacctagcgtcctccttgggagctggtgtcctggagaagctggacatgcacggca  
tcttcttcgctcctcaccacatcacgctccagctcgctgacctggcgaagctccagagctgtcatctgc  
agctgaacttcatcaaccaggccagctcagcatcttggggccttcccgagcctgctctcgtggacctgtcgg  
50 acaaccgcatcagcggagccgagcggcggcggcggcgggaggtggacagcaggggtggaagtctggcgat  
tgcccaggggcctcgctccaggcccgctggacggcgtcagctcaaaggacttcatgccaaagctgcaacctcaact  
tcacctggacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgccctcag  
gcctgcgctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcgctgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcaggcgctgggccacaacctcagcttcgtggccagctgc  
cctccctgcgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
5 tgcgcgacctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgcttttca  
aaggcttgaggaaacctgggtccagctggacctgtccgagaacctctgcacacctccctgcctcgtcacctggaca  
acctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tcctgccccggtcgaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccgtg  
gcatccggctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttgcgcgcgca  
10 ctcggtgatagacttaacctcagcgccaatgcctgaagacagtggtatccctcctgggttcgttccctagcag  
ggacctgaaaatcctagacgtgagcgccaacctgcactgcgctgcggggcggtcttctggacttctctgc  
tgagagacaggaggcgctgccccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggcgca  
gcatcttcacacaggacctgcccctctgctggatgagacctctccttggactgcttggcctctcactgctaa  
tggtggcgctgggctggcagtgccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt  
gtctggcccatcttgcctgagcgcgcgccgagcgggcgaggacacctgctctatgatgccgtcgtggctctcg  
15 acaaggctgcagagtgcagtggtgattgggtgtacaacgagctccgctgcagctggaggagcgccggggcgcc  
ggcgctccgctctgctggaggagcagactggctccctggtaagacgctcttcgagaacctgtgggctcg  
tctacagcagcgcaagacctgttgcgtgctggaccacagcgacgggtcagcgccctcctgcgcgcagcttcc  
tgctggccagcagcgctgttggaggaccgcaaggacgtcgtagtgctgggtgatcctgcccccgccgctatc  
gggtccgctacgtgcggtgcccagcgctctgcccagagcgtcctcctctggccccaccagccagtggtg  
20 agggtagttctgggccaacctgggcatagccctgaccagggaacaacgtcactctataaccggaacttctgccc  
ggggccccacgacagccgaatagcacagagtgcctccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctgggtgcaggcgggcggaactggcagcgggccctggccgag  
25 ggcacctgcctgccttctgcctgtgagctccagcccatgggtcaggtggactgcaactggctgttctgaag  
tctgtgcccgaacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac  
cacttgactgacttgcctacactgtccaacctgcgaacctgcgggtcctcaacctcaagtggaaactgccgcggcc  
ggcctcagccccatgcacttccccctgcccgtatgaccatcgagcccaacaccttcttggtgtgcccacctggag  
30 gagctgaacctgagctacaacggcatcacgacgtgcctgcccagttccctcgtgtccctgtcgctgagc  
cacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc  
aactgctactacatgaacctctgcccgcggccctggaggtggccccaggcgccctcctcggcctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcaccctggcaccggagacctggccaacctgactgcctgcgctgcttgacgtg  
35 ggtgggaactgcccgcgctgcgacctgcccgaacctgcaggagtgcccaagaacttcccaagctgcac  
cctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagtctctctacaaactagagaaa  
gattgggttccgcggcctgggaggtccaagtgtcgacctgagtgagaacttccctctatgactacatcaccaag  
accacctcttcaacgacctgaccagctgcgcgagactcaacctgtccttcaattaccacaagaagggtgtccttc  
gcccacctgcacctagcgtcctccttgggagtcgtgtcctggagaagctggacatgcacggcatcttcttc  
40 cgctccctcaccaacatcacgctccagtcgctgaccggctgcccagctccagagctcagatctgcagctgaac  
ttcatcaaccaggcccagctcagcatcttggggccttcccagcctgctctcgtggacctgtcggaacaaccgc  
atcagcggagccgcgacgcccagcgccctgggggaggtggacagcagggtggaagtctggcgattgcccagg  
ggcctcgtccaggcccgctggacggcgtcagctcaaaggacttcagccaagctgcaacctcaacttcaccttg  
gacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgcctccagtgctgcgc  
45 ctgagccacaacagcatctcgagcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgcgcgagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggcccagctgcccctcctg  
cgctacctcagccttgccacaatggcatccacagccgctgtcacagaagctcagcagcctcgttgcgcgcc  
ctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgcttttcaaaggcttg  
50 aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccgtcctgccc  
cggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccgtggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttgcgtccgcgcgactcggtg  
atagagcttaacctcagcgccaatgcctgaagacagtggtatccctcctgggttcgttccctagcagggacctg  
55 aaaatcttagacgtgagcgccaaccgctccactgcgctgcggggcggtcttctggacttctgctggagaga  
caggaggcctgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggcgagcatcttc  
acacaggacctgcgctctgctggatgagacctctccttggactgcttggc

- 15 -

## SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
5 SRTNQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFSGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTGPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
10 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMSRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFQGLRSLIRLDLSQNRHLTLLPCTLGNLPKSLQLLRRLNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSPANPLHCACGAADFVDFLLQVQAAVPGPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLYCFHLGLAWLPRRGWQRGADALSYPVDFDKAQSADWVYNELRVRLEERRGR  
15 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLAQQLLEDKDVVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCGPTMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
20 SRTNQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFSGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTGPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
25 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMSRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFQGLRSLIRLDLSQNRHLTLLPCTLGNLPKSLQLLRRLNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSPANPLHCACGAADFVDFLLQVQAAVPGPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG  
30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaagggactgcgagcacaagcatcctcctctgcagctgctgccagtg  
tgccagctggaccctctggatcatctccactcctgtcatggcccttgccatggtgccctgcagccctgtct  
ctcctggtgcaggcgccatgctggcgtggtcttgcccaaggcaccctgcctcccttctgcccctgtgagctc  
35 cagccccacggcctggtgaactgcaactggctgttcttgaagtcctgccccacttctcagcagcagcaccgg  
gacaatgtcaccagccttctctgtctccaaccgcatccaccactccagactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagccccatgcacttcccctgccacatg  
accatcgagcccaacacttctctggtgtaccaccctggaggagctgaacctgagctacaacggcatcacgact  
gtcctgccctgccagctccctctgtctccctgatcctgagcgcaccaacatcctgcagctagacccaccagc  
40 ctacgggctgcatgccctgcgcttctctatacatggatggcaactgtactacaagaacctctgcgggctggcc  
ctggagggtggccccaggcgccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
acgggtgccccgcagcctgccccctagcctggagtagctgtgtgtcttacaaccacattgtcaccctggcacct  
gaggacctggccaatctgactgccctgcgtgtgtctgatgtgggtggaaactgcgcgcgctgtgacctgacgc  
aacccctgcgtggagtgccacataaattccccagctgcactccgacacctcagccacctaagccgcttagaa  
45 ggctcgtgttgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt  
ctcgacctgagtgagaacttctctacgactgcatacccaaaacgaagcattccaggcgctggccagctgcga  
agactcaacttgccttcaattaccataagaaggtgtccttgcgccacctgacgtggcaccctccttggggagc  
ctgctctccctgcaggaactggacatgcatggcatcttcttccgctcactcagccagaagacgtccagccactg  
gcccgcctgccatgctccagcgtctgtatctgcagatgaacttcatcaaccaggccagctcgcatcttcaag  
50 gacttccctggtctgcgtacatagacctgtcagacaaccgcatcagtgaggctgtggagccggtggccaccaca  
ggggagggtggatggtgggaagaaggtctggctgacatccaggacactcactccaggccactggacacccccagc  
tctgaggacttcatgccaagctgcaagaacctcagcttcacctggacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgcccagctctcgccctccagtgctgcgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtccataacaaactggacctgtaccat  
gggagctcgtttacggagctgcccgcactggaggccttgacctcagctacaacagccagcccttcagcatggg  
gggtggggccacaacctcagctttgtggccagctgcccaccctgcgctacctcagcctggcacacaatggcatc  
cacagccgtgtgtcccagcagctctgcagcacctcgtgtgggcccctggacttcagcggcaattccctgagccag  
5 atgtgggtgagggagacctctatctccgcttcttccaaggcctgagaagcctaattccggctagacctgtcccag  
aatcgtctgcataccctcctgccatgcaccctgggcaacctccccaaagagcttgcagctgctgctcctcgtaac  
aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac  
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcagggaacagc  
atcatcttcgtggteccctggcttcttctgtctggccacagggctgcgagagctcaacctcagtgccaacgcccctc  
10 aggcagagaggacctcctggtttgggttctctagcaggctcccttgaagtcctagatgtgagcgccaacctctg  
cactgcgctgtggggcagccttctgtggacttccctgctgcaggttcaggctgcccgtgctggctgtgcccagccgc  
gtcaagtgtggcagtcggggccagctccaggccgcagcatcttcgcacaagacctgcgctctgctggacaag  
tccctctcctgggactgttttgggtctctcattgctgggtgtggcccctgggctggccatgcctatgttgaccac  
ctctgcccgtgggacctctggactgcttccacctgggcccctggcctggctgccccggcggggtggcagcggggc  
15 gggatgcccctgagctatgatgccttctgtggtctctcgacaaggcacagagcgcagtgggcgcactgggtgtacaat  
gaactgcccgtgcccctagaggagcgcgtgggcccgcggcgctccgctgtgtctggaggcgtgactggcta  
cctggcaagacgctgttgcgaacctgtgggcccctcagctctacagcagcgcgaagatgctgttctgtgctggccac  
acggaccaggtcagtgccctcttgcgtgcccagcttccctgctggcccagcagcgtctgctggaggaccgcaaggac  
gttgtgggtgctggaatcctgagccctgacgcccgcgcttcccgctacgtgcccgtgcccagcgcctctgcccgc  
20 cagagtgtcctctctgccccaccagcctagtggccagcgcagctcttggggcccagctaggcatggccctgacc  
agggacaaccgcccacttctataaccagaacttctgcccggggcccgcagatggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgacctgcccctctgcccctatgatgccagctgctgcccactctgtgacgccc  
tgctctgcccctccgccaccctcaccctggcatacagcaggcactcaataaatgcccactggcaggccaaacagcca  
aaaaaaaaaaaaaaaaa  
25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatgggtgcctgcagcccctgtctctcctgggtgcaggcggccatgctggcgcgtggctctggcc  
caaggcacccctgcctcccttccctgcccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctg  
aagtccgtgccccacttctcagcagcagcaccgggacaatgtcaccagccttccctgtctctccaaccgcatc  
30 caccacctccacgactccgactttgcccactgtccaacctgcagaaactcaacctcaaatggaactgcccggca  
gcccgcctcagccccatgcacttcccctgccacatgaccatcgagcccaacacttctcctggctgtaccacacctg  
gaggagctgaacctgagctacaacggcatcacgactgtgcccctgcccagctccctcgctgctccctgatcctg  
agccgcaccaacatacctgcagctagaccccaccagcctcacgggcccctgcagctgcccctgcgcttccctatacatggat  
ggcaactgctactacaagaacctgcgggcccctggagggtggccccaggcgcctccttggcctgggcaac  
35 ctacccacctgtcactcaagtacaacaacctcacaacgggtgcccgcagcctgccccctagcctggagtacctg  
ctgttgcctacaaccacattgtcacccctggcacctgaggacctggccaatctgactgcccctgcccgtgtgctcgat  
gtgggtggaaactgcccgcgctgtgaccatgcacgcaacctctgctggagtggccacataaattccccagctg  
cactccgacaccttcagccacctaaagccgctagaaggcctcggttgaaggatagttctctctaccagctgaac  
cccagatgggttccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttccctctacgactgcacacc  
40 aaaaccaaggcattccagggcccctggcccagctgcgaagactcaacttgccttcaattaccataagaagggtgtcc  
ttcggcccacctgacgctggcaccctccttcgggagcctgctctccctgcaggaaactggacatgcacatgcatcttc  
ttccgctcactcagccagaagacgctccagccactggcccgcctgcccctgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctgggtctgcgtacatagacctgtcagacaac  
cgcatcagtgagctgtggagccggtggccaccacaggggaggtggatgggtgggaagaaggctcggctgacatcc  
45 agggacctcactccaggcccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc  
accttggacctgtcacggaacaacctggtaacagtccagccagagatgtttggccagctctcgcgcccctcagtg  
ctgcccctgagccacaacagcatctcgcaggcggtcaatggctcacagttcgtgccactgaccagcctgcaggtg  
ctggacctgtcccataaacaactggacctgtaccatgggagcctgcttccctgagcgtgcttaccggagctgcccgcactggaggccctg  
gacctcagctacaacagccagcccttcagcatgcggggtgtgggcccacaacctcagcttctgtggcccagctgccc  
50 acctgcccctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcacctcgtg  
tgggcccctggacttcagcggcaattccctgagccagatgtgggctgaggagacctctatctccgcttcttccaa  
ggcctgagaagcctaattccggttagacctgtcccagaatcgtctgcataacctcctgcccagcaccctgggcaac  
ctccccaaagagcttgagctgctgctcctgtaacaattacctggccttcttcaattggagcagcctgacctc  
ctgcccacacctggaaacctggacctgggtggaaccagctgaaggctctgagcaatggcagcctgccccttctggc  
55 acctgctccagaggctggagctcagcagcgaacagcatcatctcgtgggtccctggcttcttctgctgtggccacg  
aggctgcgagagctcaacctcagtgccaacgcccctcaggacagaggagccctcctgggttgggttccctagcaggc  
tcccttgaagtcctagatgtgagcgccaacctctgcactgcgcccgtgtggggcagccttctgtggacttccctgctg

- 17 -

cagggttcaggctgccgtgcctggtctgccagccgctcaagtgtggcagtcggggccagctccaggggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVNWNWFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNPCQQAVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPLSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQLRRLNLSFNHKKVSFAHLQLAPSFGGLVSLKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSSLTVLP  
15 QLEALDLAQNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAFAVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA  
LGLAVPMLHHLGWDLYCFHLCLAHLPRLRRRQGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRRRAL  
RLCLEERDWWLPKTLFENLWASVYSRKTMFVLDHTDRVSGLLRASFLAQQLLEDKRDVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFRCGPPTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVNWNWFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNPCQQAVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPLSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQLRRLNLSFNHKKVSFAHLQLAPSFGGLVSLKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSSLTVLP  
30 QLEALDLAQNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAFAVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgagcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga  
35 agccgcattccctgccatggggccctactgtgcccgcaccccccttctctcctggtgcaggcgccgagctggc  
agcagccctggcccagggcaccctgcctgccttccctgtgagctccagccccgggtaagtgaactgcaa  
ctggctgttccctgaagtctgtgcccgccttctcgccggagccccccgggccaatgtcaccagcctctccttaat  
ctccaaccgcatccaccacttgacgactctgactctgctccacctgtccaacctgcgggtcctcaacctcaagt  
40 gaactgcccgcggccggcctcagccccatgcacttccctgcgcagtgaccatcgagcccaacaccttctggc  
tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt  
atccctgtcgctgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcagccctgcgctt  
tctgtacatggacggcaactgctactataagaacccctgccagcaggccgtggagggtggccccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgctcaagtaacaacctcacggaggtgccccgcgctgccccccag  
cctggacacctgtgctgtcctacaaccacatcaccttgccaccgaggacctggccaatctgactgcct  
45 gcgtgtgcttgatgtggcggggaactgcgcgctgacacacgcccgaacccctgcaggagtgcccaagaa  
cttccccaaagctgcacctgacaccttgacccacctgagccgctcgaaggcctggtgtgaaggacagttctct  
ctacaaactagagaaagactggttccgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctcta  
tgactacatcaccaagaccacatcttcagggaacctgaccagctgctgcagactcaacctgtccttaattacca  
caagaagggtgtccttcgccacctgcaactggcaccctccttgggggcctggtgtccctggagaagctggacat  
50 gcacggcatcttcttcgctccctcaccaacaccagctccggccgctgaccagctgcccagctccagagctct  
gagtctgcagctgaacttcatcaaccaggccgagctcagcatcttggggccttcccagagcctgctctcgtgga  
cctgtcggacaaccgcatcagcggagctgcgagggcgggtggccgcccctcggggaggtggacagcggggtggaagt  
ctggcgggtggcccaggggcctcgctccaggcccgctggccgcccgtcagcgcaaggacttcatgccaagctgcaa



- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctccc  
cctccagtgctcgcctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgaccg  
cctgcgagtgctcgacctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgccgagct  
ggaggcactggacctcagctacaacagccaccttcagcatgcaggcggtgggccacaacctcagcttcgtggc  
5 ctagctgcgctccctgcgtacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcag  
cgctcgtcgcgcgacctggacttcagcggcaactccctgagccagatgtgggcgagggagacctctatctctg  
cttcttcaaaggcttgaggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgctcgtca  
cctggataacctgccaagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcag  
cctgactgttctgccccagctggaagcctggatctggcggaaccagcatcggtttgtgaccttggcttcttgt  
10 gccacctggcaccggctccagaagctggcagtgagcagcaacagcatcggtttgtgaccttggcttcttgt  
ccttgccaacggctgaaagagcttaacctcagcgccaacgcctgaagacagtggatcccttctgggtcggctc  
cttaacagagacctgaatatcctagacgtgagcgccaaccgctccactgtgctcggggcgcccttcttggga  
cttctcgtggagatgcaggcgccgctgctgggtgtcagggcgctcacgtgtggcagtcggggccagctcca  
ggggcgagcatcttcgcacaggacctgcgccttgcctggatgagacctctccttggactgcttggcttctc  
15 gctgctaatgggtggcgctgggctggcggtgccatgctgcaccacctctgtggtgggacctgtgggtactgct  
ccacctgtgtctggccatttggccgacggcgggcgaggagacacctgctctacgatgccttctgt  
ggctctcgacaaggcgagagtgagtgaggcggtgtacacagagctccgctgagctggaggagcgccg  
cgggcgccggcgctccgctctgctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
ggcctcggtctacagcagccgtaagaccatgttctgctggaccacacggaccgggtcagtggtcctcctgcgcg  
20 cagcttctgctggccagcagcgctgttggaggaccgcaaggatgtcgtggtgctggtgatcctgcgccccgc  
cgctaccggtccgctacgtgcggctgcgcagcgctctgcccagagcgtcctcctctggccccaccagcc  
cagtgccagggtagcttctgggccaacctgggcatggcctgaccagggacaaccgccactctataaccggaa  
cttctgcccggggccccacgacagccgaatagcacagagtgaactgcccag

## 25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaccccttctctcctggtagcaggcgggcgctggcagcagccctggcccag  
ggcaccctgctgctccttccctgctgagctccagccccgggtaaggtagaactgcaactggctgttctgaag  
tctgtgcgcgcttttgcggcgagcccccgggccaatgtcaccagcctctccttaactctcaaccgcatccac  
30 cacttgacgactctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc  
ggcctcagccccatgcacttccctgcccagatgacctcagagcccaacaccttctggtgtgcccacctggag  
gagctgaacctgagctacaatggcatcacgacctgctgcccagttctctcgtatccctgtcgtgagc  
cgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc  
aactgctactataagaacctgcccagcaggccgtggaggtggccccaggcgccctccttggcctgggaacctc  
acgcacctgtcgtcctaagtacaacaacctcacggaggtgccccgcgcctgccccagcctggacacctgctg  
35 ctgtcctacaaccacatcatccctggcacccgaggacctggccaatctgactgcccctgctgtgcttgatgtg  
ggcgggaaactgccgcgctgacgaccgcccgaaccttgcaggagtgccaaagaacttccccagctgcac  
cctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaggacagtctctctacaactagagaa  
gactggttcgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctctatgactacatccaag  
accacctcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgctctc  
40 gccacctgcaactggcaccctccttgggggctgggtgtccctggagaagctggacatgcacggcatcttctc  
cgctccctcaccaacaccagctccggcgctgaccagctgcccaagctccagagctgagctcgcagctgaac  
ttcatcaaccaggccgagctcagcatcttggggccttcccagcctgctctcgtggacctgtcggaacaaccgc  
atcagcggagctgcgaggccggtggccgctcggggaggtggacagcgggggtggaagtctggcggtggcccagg  
ggcctcgtccaggccccgctggcgccgtcagcgcaaggacttcagccaagctgcaacctcaacttcaccttg  
45 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccgcctccagtgctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcgcgtgacctgcgagtgctcgac  
ctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgcccagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcggtgggccacaacctcagcttcgtggccagctgcccgtcctg  
cgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcagcgctcgtgcgcgcc  
50 ctggacttcagcggcaactccctgagccagatgtgggcgagggagacctctatctgcttcttcaaaggcttg  
aggaacctggtccagctggacctgtccaagaaccacctgcacacctcctgctcgtcactggataacctgcc  
aagagcctgcccagctgctctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
cagctggaagcctggatctggcggaaccagctgaaggccctgagcaacggcagcctgccacctggcaccgg  
ctccagaagctggagctgagcagcaacagcatcggttcttgtagccctggcttcttctgcttgcacacggctg  
55 aaagagcttaacctcagcgccaacgcctgaagacagtggatcccttctggttcggtcgcttaacagagacctg  
aatatcctagacgtgagcgccaaccgctccactgtgctcggggcgcccttctgtagcttctgctggagatg



- 19 -

caggcgccgctgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccagggccgcagcatcttc  
gcacaggacctgcgcctctgcctggatgagaccctctccttggactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
5 publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

10 Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
15 transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
20 822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
25 Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

30

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLILVQAAALALALAQGTLPFAFLPCELPQHLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLSYNSRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTPALPSSLVSLSL  
SRTNILLVDPATLAGLYALRFLFLDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLHSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIGHIF  
 FRSLSKTTLQSLAHLPMQLRLHLQNLFIQAQLSIFGAFPLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLSPVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHLQCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVFDAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVLAARTDRVSGLLRASFLAQQRLEDRKDVVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNRHFYNQNFRCGPPTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDNLNSYNISITVVPALPSSLVSLSL  
 SRTNIIIVLDPATLAGLYALRFLFDGNCYYKNPCQQALQVAPGALLGLNLTHLSLKYNNTTVVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLHSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIGHIF  
 20 FRSLSKTTLQSLAHLPMQLRLHLQNLFIQAQLSIFGAFPLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLSPVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLNLSANALKTVEPSWFGSL  
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgagctgctgcccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggccccctgcccgtggcgccctgcacccctgtctctcctggtgcaggtgcgcgcgcta  
 gcccgtggcctggccagggcaccctgctcctcctcctgagctccagcccatggcctgggtaactgc  
 30 aactggctgttccctcaagtccgtgccccgctctctcgagctgcaccccgcgtaactgcaccagcctttccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcccgtctcaatctcaag  
 tggaactgcccgcgcgcagcctcagcccatgcactttcctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctggtgctggaccctgccaccctggcaggcctttatgcctgcgc  
 35 ttctgttctcctgtaggcaactgctactacaagaacccctgccagcaggccctgcaggtggccccaggtgcctc  
 ctgggctgggcaacctcacacacctgtcactcaagtaacaacacccctaccgtggtgcccgcgggctgcctc  
 agcctggagtagcctgctctgtcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtcgccgctgtgaccatgccgtaacccctgcaggagtgccccaag  
 ggcttccccagctgcacccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctct  
 40 ctctacagcctggacccccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctg  
 tatgactgcatcaccaaaaccaaagccttctacggcctggcccggctgcccagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcatctggcactcctcctcgggagcctactgtccttgaggagctggac  
 atacatggcatcttcttcgctcgtcagcaagaccagctccagtcgctggcccacctgcccagctccagcgt  
 ctgcatctgcagttgaactttatcagccaggccagctcagcatcttcggcgcccttccctggactgcccgtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcgctgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagtcacgggaccttgctctgggcccactgggacccccggctcagaggccttcatgccc  
 agctgcaggacctcaacttcaccttgacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgccctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtg  
 cctctgagcaacctgcccgtgctggacctgtcccataacaagctggacctgtaccacgggctcgttccaggag  
 50 ctgcccggctggaggccttgacctcagctacaacagccagcccttcagcatgcccggcgctgggccaactctc  
 agcttttgccagcagctgcagcctgcctcagcctggcgcaaatggcatccacagccgctgtcccag  
 cagctccgagcgccctcgctccgggcccctggacttcagtggaataacctgagccagatgtgggcccaggagac  
 ctctatctccgcttcttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgctgcataccctc  
 ctgcccagcaacctggacaacctccccaaagcctgcccgtcctgcccgtccgtgacaattacctggctttcttc  
 55 aactggagcagcctggccctcctacccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcccaacggcaccagctccagaggtggacctcagcggcaacagcatcggttcgtgggtcccc  
 agcttttttgccttgccgtgaggcttcgagagctcaacctcagcgccaacgccctcaagacggtggagccctcc  
 tgggttggttccctggcgggtgacctgaaagtccatagacgtgaccgccaaccccttgcatcgcttgccggcgca  
 accttcgtggacttcttgctggaggtgcaggctgcgggtgcccgccctgacctagccgtgtcaagtgcggcagcccg  
 5 ggccagctccaggggcgcagcatcttcgcacaggacctgcgcctctgctggacgaagcgctctcctgggtctgt  
 ttcagcctctcgctgctggctgtggccctgagcctggctgtgcccattgctgcaccagctctgtggctgggacctc  
 tggtaactgcttccacctgtgcctggcctggctgccccggcgggggcgcgcggggtgtggatggcctggcctat  
 gacgccttcgtggtcttcgacaaggcgagagctcggtggcggaactgggtgtacaatgagctgcgggtacagcta  
 gaggagcgccgtggggcgccggcgctacgcctgtgtctggaggaactgactgggtaccggcaaaacccctcttc  
 10 gagaacctctgggctcagtttacagcagccgcaagacgtgtttgtgctggcccgacggacagagtcagcggc  
 ctctgctgctgacgttctctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtgctggtgatc  
 ctgtgccccgacgccccacgcctcccgctatgtgcggtgcgcccagcgccctctgcccagagtgctcctcctctgg  
 cccacacagccagtgccagcgcagcttctgggcccagctgggcacggccctgaccagggacaacggccacttc  
 tacaaccagaacttctgcccggggcccgacgacgcctgataggcagacagccagcaccttcgcccctacacc  
 15 ctgctgtctgtctgggatgcccgcctgctggctctacaccgcgctctgtctcccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggttagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgccgtggcgccctgcacccctgtctctcctgggtgcaggctgccgcctagccctggccctggcc  
 20 cagggcaccctgcctgccttctgcctgtgagctccagcccatggcctggtagaactgcaactggctgttcttc  
 aagtcggtgccccgttctcggcagctgcaccccgcggtaacgtcaccagccttctctgtactccaaccgcac  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgcccgc  
 gccagcctcagcccatgacacttccctgtcacatgaccattgagcccaacaccttctggctgtgcccacccta  
 gaggacctgaactgagctataacagcatcacgactgtgccgcctgcccagttcgctgtgtcctgctccctg  
 25 agccgcaccaacatctcggtgctggacccctgcccacctggcaggccttctatgcccctgcgcttctctgctggat  
 ggcaactgctactacaagaacccctgcagcaggccctgcagggtggccccaggtgcccctctgggctgggcaac  
 ctcacacacctgtcactcaagtaacaacacctcacgtgggtgcgcggggcctgccccccagcctggagtacctg  
 ctctgtcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat  
 gtgggtgggaactgtcgccgctgtgacctgcccgtaacccctgcaggagtgcccccaagggtctccccagctg  
 30 caccaccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctctctctacagcctggac  
 cccaggtgggttccatggcctgggcaacctcatggtgtggacctgagtgagaacttctgtatgactgcatcacc  
 aaaaccaaacatctacggcctggcccgctgcccagactcaacctgtccttcaattatcataagaagggtgtcc  
 ttgcccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggacatacatggcatcttc  
 ttccgctcgctcagcaagaccagctccagtcgctggcccaacctgcccattgctccagcgtctgcatctgcagttg  
 35 aactttatcagccaggcccagctcagcatcttcggcgcttccctggactgcggtacgtggacttgtcagacaac  
 cgcatcagtgagctgcagagcccgcggtgccacaggggaggttagaggcagactgtggggagagagcttgcca  
 cagtcgccgggaccttgcctctgggcccactgggcaccccggtcagaggccttcatgcccagctgcaggacctc  
 aacttcaccttgacctgtctcggaacaacctagtgttgcagccggagatgtttgtcggctggcgcgccctc  
 cagtgccctgggctgagccacaacagcatctcgagcggtcaatggctcgagttcgctgctctgagcaacctg  
 40 cgggtgctggacctgtcccataaacaagctggacctgtaccacggggcgctcgttcacggagctgcgcggctggag  
 gccttggaacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaatctcagctttgtggcacag  
 ctgccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccggggccctggacttcagtggaataacctgagccagatgtggggcgaggagacctctatctccgcttc  
 ttccaaggcctgagaagcctgggttcagctggacctgtcccagaatcgccctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg  
 gccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcaccagctccagaggctggacctcagcggaacagcatcggttcgtgggtccccagcttttttgccttg  
 gccgtgaggttcgagagctcaacctcagcgccaacgccctcaagacggtggagccctcctgggtttgggtccctg  
 50 gcgggtgcccgtgaaagtccatagacgtgaccgccaaccccttgcatcgcttgccggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggctgcgggtgccggcctgcctagccgtgtcaagtgcggcagcccgggccagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLSYNSRI  
 55 HHLHDSDFVHLSSLRLNLKWNCPASLSMHPFCHMTIEPHTFLAVPTLEELNLSYNSITVPALPSSLVLSLSL

- 22 -

SRTNIVLDPANLAGLSLRLFLDGNCCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 5 GDALGPPGTPSSEGFMPCGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLTLLPRTLDNLPKSLRLLRLRDNLYLAFNWSSLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 TLKVL DVTGNPLHCACGA AFVDFLLEVQA AVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFLSLT  
 10 VALGLAVPMLHHL CGWDLWYCFHLCLAWLPRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLERGR  
 ALRLCLEERDWLP GKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQLLEDRKDVVVLVILRPDAHR  
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFVAQLGTALTRDNQHFYNQNFRCGPTTAE

## SEQ ID NO:26 (Feline TLR9)

MGPCHGALHPLSLLVQAAALAVALAQGTLP AFLPCELQRHGLVNCDWLFLKSVPHFSAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSLRLRLNLKWNCPASLSPMHFPCHTIEPHTFLAVPTLEELNLSYNSITVPALPSSIVLSLSL  
 SRTNIVLDPANLAGLSLRLFLDGNCCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 20 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSSEGFMPCGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLTLLPRTLDNLPKSLRLLRLRDNLYLAFNWSSLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 25 TLKVL DVTGNPLHCACGA AFVDFLLEVQA AVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgcccacgtctgcccagctctgcccacccctctggagaagcccc  
 cactccctgtcatgggccccctgccatggcgccctgcacccctgtctctcctgggtgcaggctgcccgcgtggccg  
 30 tggccctggccaggccaccctgcctgcttctgcctgtgagctccagcgccacggcctggatgaattgcgact  
 ggctgttccctcaagtccgtgccccacttctcgccggcagcgccccctggtaacgtcaccagccttccctgtact  
 ccaaccgcatccaccacctccagcactccgactttgtccacctgtccagcctgcccgcgtctcaacctcaaatgga  
 actgcccccccgccagcctcagccccatgcacttccctgtccatgaccattgagccccacaccttccctggccg  
 tgccccacctggaggagctgaacctgagctacaacagcatcacgacagtaccgcccctgcccagttccctcgtgt  
 35 cctgtccttgagccgtaccaacatccctggtgctggacctgccaacctcgccagggctgactccctgccccttct  
 tgttccctggatggcaactgctactacaagaacccctgcccgcaggccctgcagggtggccccggcgccctccttg  
 gcctgggaaccttacgcacctgtcactcaagtacaacaacctcactgcggtgccccgcggcctgccccccagcc  
 tggagtacctgctattgtcctacaaccacatcacacctggcacctgaggacctggccaacctgaccgcccctgc  
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacccctgtatggagtcccccaagggt  
 40 tccccgacctgcacctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaggacagctctctct  
 acaacctgaacccagatgggtccatgcctgggcaacctcatggtgctggacctgagtgagaacttccatata  
 actgcatcaccaaaaccacagccttccaggccctggcccagctgcccagactcaacttgtcttcaattaccaca  
 agaagggtgctcttggccacctgcactgcccgcctccttcgggagcctgctcctcctgcagcagctggacatgc  
 atggcatcttcttcgctcgctcagcgagaccacgcctccggtcgctgggtccacctgcccagctccagagctgc  
 45 acctgcagatgaacttcatcaatcaggccccagctcagcatcttcggggccttccctggcctgcgatacgtggacc  
 tgtcagacaaccgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtcc  
 ggctgccatctggggacctagctctgggcccacgggacccctagctccgagggttcatgccaggctgcaaga  
 cctcaacttccacttgacctgtcacggaacaacctagtgaacatccagccagagatgttggccggctctcgc  
 gcctccagtgcctgctcctgagccgcaacagcatctcgaggcagtcacggctcacaatttatgccgctgacca  
 50 gcctgcagggtgctggacctgtcccataacaagctggacctgtaccatggcgctcttccacggagctgcccgcgc  
 tggaggccctggacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagcttggg  
 cacagctgcccgcctcgctatctcagcctggcgccacacgacatccacagccgtgtgtcccagcagctctgca  
 gcgctcgctgcccgccttgacttcagcggcaatgccttgagccgatgtgggcccaggaggacctgtatctcc  
 acttcttccgaggcctgaggagcctgggtccggttgatctgtcccagaatcgccctgcataccctcttgccacgca  
 55 ccttggaacacctccccaaagagcctgcccgtgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctgggtcctcctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgcctaataaggaaccagctccagaggtggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggttcggtt  
 ctctagcgggcaccctgaaagtccatagatgtgactggcaacccctgcactgcgcctgtggggcgcccttcgtgg  
 5 acttcttgctggaggtgcaggtgcagtgcccgccctgcaggccacgtcaagtgtggcagtcaggctcagctcc  
 agggcgcagcatctttgcgaggatctgcgcctctgcctggatgaggccctctcctgggactgttttgccctct  
 cgctgctgaccgtggccctgggctggcgctgcccattgctgcaccacctctgtggctgggacctctgggtactgct  
 tccacctgtgcctggcctggctgccccggcgggggcgccggcgggggcgcggtgacctgacctacgatgcctttg  
 tggctcttcgacaaggcacagagcgcggtggcgactgggtgtacaacgagctgcgggtacggctagaggagcgcc  
 10 gtggacgcccagcgctccgcctgtgcctggaggaacgtgactggctaccgcgtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggcccacacagacagggctcagcgccctcttgccg  
 ccagctttctgtgctggccagcagcgctgctggaggaccgcaaggacgttgtggtgctgggtgatcctgcgccccg  
 acgcccaccgctcccgctatgtgcggctgcgccagcgctctgcgccagagcgctcctccttgggccccaccagc  
 ccagtgggcagcgagcttctggggccagctgggcacggccctgaccagggaacaccagcactctataaccaga  
 15 acttctgcccggggccccacgacggcagagtgaccgcccagcaccccaagcctcctacaccttgctgtctgctg  
 ggatgcccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccctgtctctcctgggtgcaggctgcgcgctggccgtggccctggcc  
 20 cagggcaccctgctgcctttctgcctgtgagctccagcgccacggcctggtgaattgcgactggctgttctc  
 aagtccgtgccccacttctcgggcgagcgccccgtggttaacgtcaccagcctttccctgtactccaaccgcatc  
 caccacctccagactccgactttgtccacctgtccagcctggcgctctcaacctcaaatggaactgccacccc  
 gccagcctcagccccatgcacttccctgtcacatgacctgagccccacaccttccctggcgtgcccacccc  
 gaggagctgaacctgagctacaacagcatcacgacagtaccgcctgcccagttccctcgtgtccctgtccttg  
 25 agccgtaccaacatcctgggtgctggacctgccaacctgcgagggctgcactccctgcgctttctgttccctggat  
 ggcaactgctactacaagaacccctgcccgcaggccctgcagggtggccccggcgccctccttgccctgggcaac  
 cttacgcacctgtcactcaagtaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg  
 ctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgcctgcgtgtgaccacgcccgaacccctgtatggagtggcccaagggtctcccgccacctg  
 30 caccctgacacctccagccacctgaaccacctgaaggcctgggtgtgaaggacagctctctctacaacctgaac  
 ccagatgggtccatgcccctgggcaacctcatgggtgctggacctgagtgaagacttccctatgtcctgtcacc  
 aaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtctttcaattaccacaagaagggtgtcc  
 ttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 ttccgctcgtcagcgagaccagctccggctgctggtccacctgcccattgctccagagtctgcacctgcagatg  
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgcccacggggaggtggatgggtggggagagagtcgggctgccatct  
 ggggacctagctctggggccaccgggcacccctagctccgagggcttcagtcagggtgcaagacctcaacttc  
 accttgacctgtcaggaacaacctagtgaacaatccagccagagatgtttgcccggctctcgcgcctccagtgc  
 ctgctcctgagccgaacagcatctgcaggcagtcacacggctcacaatttatgcccgtgaccagcctgcaggtg  
 40 ctggacctgtcccataacaagctggacctgtacctggggcgtctttcaaggagctgcgcggctggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagctttgtggcacagctgccg  
 gccctgcgctatctcagcctggcgcaaacgacatccacagccgtgtgtcccagcagctctgcagcgccctcgtg  
 cgggccttggaactcagcggcaatgccttgagccggatgtggggcgaggagacctgtatctccacttctccga  
 ggccctgaggagcctgggtccggttgatctgtccagaatgcctgcataccctcttgccacgcacccctggacaac  
 45 ctccccagagcctgcggctgctgcgtctccgtgacaattatctggctttcttcaactggagcagcctggctcctc  
 ctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccctaattgga  
 acccagctccagaggtggacctcagcagcaacagtatcagcttctgtggcctccagctttttgtcttgccacc  
 aggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggttcggttctctagcgggc  
 accctgaaagtccatagatgtgactggcaacccctgcactgcgcctgtggggcgcccttcgtggacttctgtctg  
 50 gaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcaggctcaggtcaggtccaggggccgacg  
 atctttgcgaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSSL  
 SHTNILLVDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLVDVRSNPLHCACGAAFVDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGLSLL  
 AVAVGMVVPILHHLCGWDVWYCFHLCLAWPLLARSRSAQALPYDAFVVFDAQSAVADWVYNELRVRLBEERRG  
 RRALRLCLEDRDWLPQQLTFENLWASTYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLLEDRKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSSL  
 SHTNILLVDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 35 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVRSNPLHCACGAAFVDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tggtcagagggagcctcgggagaaatcctccatctcccaacatgggtctcctcgatcgaaggactctgcaccccttgctcc  
 ctctcgggtacaggctgcagtgctggctgagactctggcctgggtaccctgctgctcctaccctgtgagctg

- 25 -

aagcctcatggcctgggtggactgcaattggctgttcctgaagtctgtaccccggttctctgcggcagcatcctgc  
tccaacatcaccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcggcagctgaacctcaagtggaaactgtccaccactggccttagccccctgcacttctcttgccacatg  
accattgagccccagaaccttctcctggctatgctgacactggaggagctgaacctgagctataatgggtatcaccact  
5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtctagatgctaacagc  
ctgcgcggcctatacagcctgcgcgttctctcatggacgggaactgctactacaagaacccctgcacaggagcg  
gtgaagggtgaccccaggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
aagggtgccccgccaaactgccccccagcctggagtagctcctcctgggtgctctataacctcattgtcaagctggggcct  
gaagacctggccaatctgacctcccttcgagtacttgatgtgggtgggaattgccgtcgctgagaccatgcccc  
10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagaccttccatcacctgagccatctggaa  
ggcctgggtgctgaaggacagctctctccatacactgaactcttctcctgggtccaaggctggtcaacctctcggtg  
ctggacctgaagcagaacttctctctatgaaagcctcaaccacccaactgcctttcagaacctaacccgcctgcgc  
aagctcaacctgtccttcaattaccgcagaaggtatcctttgccccctccacctgggaagttccttcaagaac  
ctgggtgctactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgccccaaactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatctttgggt  
accttccgagcccttcgctttgtggacttgtagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcggatcctcaccagctccactgagcaccct  
gcttctaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact  
atcaacctacagatgtttgtcaatctctcaagcctcagtgctttagcctgagccacaactccattgcacaggct  
20 gtcaatggctctcagttcctgcgcgtgactaactctgcagggtgctggacctgtccataacaacaaactcgtgtac  
cactggaaatcgttcagtgagctaccacagttgcaggcctggacctgagctacaacagccagccctttagcatg  
aagggtataggccacaatttctcagttttgtggcccatctgtccatgctacacagccttagcctggcacacaatgac  
attcatacccgctgtgtcctcacatctcaacagcaactcagtgagggtttcttgacttcagcggcaacgggtatgggc  
cgcatgtgggatgaggggggcctttatctccatttcttccaaggcctgagtgggcctgctgaagctggacctgtct  
25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccaaagacctgaagctgctgagcctccga  
gacaactacctatcttctttaaactggaccagctctgtccttccctgcccaacctggaagctcctagacctggcagcg  
aacagctaaaggccttgaccaatggcacccctgcctaatggcaccctcctccagaacactggatgtcagcagcaac  
agtatcgtctctgtgggtcccagccttcttcgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
ctcaagacgggtggatcgctcctgggtttggggccatttgatgaacctgacagttctagacgtgagaagcaacct  
30 ctgcactgtgctgtggggcagccttcgtagacttactgttgagggtgcagaccaaggtgcctggcctggcta  
gggtgtgaagtgtggcagccccggccagctgcagggccgtagcatcttcgcacaggacctgcggctgtgcctggat  
gaggtcctctcttgggactgctttggcctttcactcttggtgtggcctgggcatgggtgggtgctatactgcac  
catctctgcggctgggacgtctggtactgttttcatctgtgcttggtacatggctacctttgtctggccccgagccga  
cgcagccccaaagctctccctatgatgccttcgctgggttgatgaaggcacagagcgcagttgcccagctgggtg  
35 tataacgagctgcgggtgcggctggaggagcggcggtgcgcgagccctacgcttggtgtctggaggaccagat  
tggtgcctggccagacgctcttcgagaacctctgggcttccatctatgggagccgcaagactctatttgtgctg  
gccacacagcagcgcgtcagtgccctcctgcgcaccagcttctcgtggtcagcagcgcctgttggaagaccgc  
aaggacgtggtggtgtggtgatcctgcgtccggtgccaccgctcccgtatgtgcgactgcgccagcgtctc  
tgccgccagagtgtgctcttctggccccagcagcccaacgggcaggggggcttctggggccagctgagtagacc  
40 ctgactagggacaaccgcccacttctataaccagaacttctgcgggggacctacagcagaatagctcagagcaaca  
gctggaaacagctgcatcttcatgcctgggtcccgagttgctctgcctgc

## SEQ ID NO:31 (Murine TLR9)

atgggtctccgtcgaaggactctgcacccttgtccctcctggtagagctgcagtgctggctgagactctggcc  
45 ctgggtaccctgcctgccttccctaccctgtgagctgaagcctcatggcctgggtggactgcaattggctgttcttg  
aagtctgtaccccggttctctgcggcagcatcctgctccaacatcaccgcctctccttgatctccaaccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcccagctgaacctcaagtggaaactgtccacc  
actggccttagccccctgcacttctcttgccacatgaccattgagcccagaaccttcttggtatgctgactg  
gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg  
50 agccacaccaacatcctgggtctagatgctaacagcctcgccggcctatacagcctgcgcgttctcttcatggac  
gggaactgtactacaagaacccctgcacaggagcgggtgaagggtgaccccaggcgccctcctgggctgagcaat  
ctcaccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccccagcctggagtacctc  
ctgggtgtcctataacctcattgtcaagctggggcctgaagacactggccaactctgacctccttcgagtacttgat  
gtgggtgggaattgccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtccctccacctg  
55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
tcttctcctgggtccaaggctggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
cacaccaatgcctttcagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggatatcc

- 26 -

tttgccccctccacctggcaagttccttcaagaacctgggtgctactgcaggagctgaacatgaacggcatcttc  
 ttcgctcgctcaacaagtacacgctcagatggctggccgcatctgccccaaactccacactctgcatcttcaaag  
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggactgtcagacaat  
 cgcatcagtgggccttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg  
 5 tctgcggtacctcaccagctccaactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcaccatggagctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgctccag  
 tgtcttagctgagccacaactccattgcacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataaacaactggactgttaccactggaaatcggtcagtgagctaccacagttgcaggcc  
 ctggacctgagctacaacagccagccctttagcatgaagggataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgctctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacggatgggcccgcagtggtgaggggggctttatctccatttcttc  
 caaggcctgagtgggcctgctgaagctggacctgtctcaaaataacctgcatactctccggccccagaaccttgac  
 aacctccccagagcctgaagctgctgagcctccgagacaactacctatctttctttaactggaccagtctgtcc  
 ttctgtcccaacctggaagtcttagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgccta  
 15 ggcaccctcctccagaactggatgtcagcagcaacagtagtctctctgtggtcccagccttcttcgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctgggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaaccctctgcactgtgctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctggctaaggtgtgaagtgtggcagccccggccagctgcagggccgt  
 agcatcttcgcacaggacctgcggtgtgctgctggatgaggtcctctcttgggactgctttggc

20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVPRNLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDFTSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCI TKTKAFQGLTQLRKLNLSFNQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPTGLQV  
 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDSWFGPLAS  
 ALQILDV SANPLHCACGA AFMDFLLEVQA AVPGLP SRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA  
 VALGLGVPMLHHL CGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDTQSAVADWVYNELRGQLEECRG  
 RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQLLEDKDVVVLVILSPDG  
 35 RRSRYVRLRQLRCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHNFYRNFCQGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDFTSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCI TKTKAFQGLTQLRKLNLSFNQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPTGLQV  
 45 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDSWFGPLAS  
 ALQILDV SANPLHCACGA AFMDFLLEVQA AVPGLP SRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggtcgggtataaaaaatcttacttctctattctctgagccgctgctgcccctgtgggaaggagacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagaccctctggagaagccctgccccccagcatgggt  
 ttctgcccgcagcgcctgcaccgctgtctctcctggtgcaggccatcatgctggccatgacctggccctgggt



- 27 -

accttgccctgecttccctaccctgtgagctccagcccccaggcctgggtaactgcaactggctgttccctgaagtct  
 gtgccccacttctccatggcagcaccctggcgaatgtcaccagccttccctgtcctccaaccgcatccaccac  
 ctccatgattctgactttgcccacctgcccagcctgcccgcactctcaacctcaagtggaaactgcccgcgggtggc  
 5 ctcagccccatgcacttccctgcccacatgaccatcgagcccagcaccttcttggtgtgcccaccctggaagag  
 ctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacacccctcatatccctgtccctcagccat  
 accaacatcctgactagactctgcccagcctgcggcctgcatgccctgccccttccctattcatggacggcaac  
 tgttattacaagaacccctgcaggcaggcactggagggtggccccgggtgccctccttgccctgggcaacctcacc  
 cacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccctccagcctggagtatctgctgttg  
 10 tccataaccgcatcgtcaaacggcgctgaggacctggccaatctgaccgcccctgctgtgctcgatgtgggc  
 ggaaattgcccgcgctgagaccagctcccaacccctgcatggagtgcctcctcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaaggcctggtgttgaaggacagttctctctcctggctgaatgccagt  
 tgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcactaaaacc  
 aaggccttcaggggcctaacacagctgcgcaagcttaacctgtccttcaattacccaaaagggtgctcctttgccc  
 15 cactgtctctggcccccttccctcgggagcctggtgcgcccgaaggagctggacatgcacggcatcttcttccgc  
 tcaactcgatgagaccagctccggccactggccccgctgcccatgctccagactctgctctgcagatgaacttc  
 atcaaccaggcccagctcggcactcttcaggggccttccctggcctgcgctacgtggacctgtcggaacaaccgcatc  
 agcggagcttcggagctgacagccaccatgggggagggagatggaggggagaaggctctggctgcagcctggggac  
 cttgctccggccccagtgagacactcccagctctgaagacttcaggcccaactgcagcacccctcaacttcaccttg  
 20 gatctgtcacggaacaacctggtgacctgcagccggagatggttggccagctctcgacactgcagtgcctgcgc  
 ctgagccacaactgcatctcgaggcagctcaatggctcccagttcctgcccgtgaccggtctgcaggtgctagac  
 ctgtcccgaataagctggacctctaccacgagcactcattcaccggagctaccgcgactggaggccctggacctc  
 agctacaacagccagcccttggcatgcagggcggtggccacaacttcagcttctggtggtcacctgcgcacctg  
 cgccacctcagcctggccccacaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctgcgggccc  
 25 ctggacttcagcggcaatgcactgggcatatgtgggcccagggagacctctatctgcacttcttccaaggcctg  
 agcgggttgatctggctggacttgcctcagaaccgctgcacacctcctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgccc  
 aaactggaaagtccctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgctgtggcaccggc  
 30 ctccggaggctggatgtcagctgcaacagcatcagcttctggtggccccggccttctttccaaggccaaggagctg  
 cgagagctcaaccttagcgccaacgcccctcaagacagtggaccactcctgggttggggccctggcgagtgcctg  
 caaatactagatgtaagcgccaacctctgcactgcgctgtggggcgcccttcttgagacttccctgctggagggtg  
 caggctgcctgcccgggtctgcccagccgggtgaagtgtggcagctccgggccaagctccagggctcagcatcttt  
 gcacaggacctgcgctctgctggtgagggccctctcctgggactgttccgcccctctcgctgctggtgtggtg  
 35 ctgggctgggtgtgcccactgctgcatcacctctgtggtgggacctctggtactgcttccacctgtgctggcc  
 tggcttccctggcgggggcggaagtgggagagatgaggatgcctgcccctacgatgcttccgtggtcttcgac  
 aaaacgcagagcgcagtgagcagactgggtgtacaacgagcttcggggggcagctggaggagtgcctggggcctgg  
 gcatccgctgtgcccctggagggaacgcgactgctggcgaacacctcttgagaacctgtgggctcggtc  
 40 tatggcagccgcaagacgctgttctgtgctggcccacacggacggggtcagtggtctcttgcgccgagcttccctg  
 ctggcccagcagcctgctggaggacggcaaggacgtcgtggtgctggtgatcctgagccctgacggccgcccgc  
 tcccgtacgtgcggtgcccagcgcctctgcccgcagagtgctcctccttgggccccaccagccagtggtcag  
 cgcagcttctggggccagctgggcatggccctgaccagggaacaaccaccttctataaccggaaacttctgccag  
 ggacccacggccgaatagccgtgagccggaatcctgcacggtgccacctccacactcacctcacctctgctgccc  
 tggctgacctccccctgctcgctccctcaccacacctgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcctgaccccgctgtctctcctgggtgagggccatcatgctggccatgacctggcc  
 ctgggtaccttgccctgcccctaccctgtgagctccagcccccaggcctgggtaactgcaactggctgttccctg  
 aagtctgtgccccacttctccatggcagcaccctggcgaatgtcaccagccttccctgtcctccaaccgcatc  
 caccacctccatgattctgactttgcccacctgcccagcctgcccgcactctcaacctcaagtggaaactgcccgcg  
 50 gttggcctcagccccatgcacttccctgcccacatgaccatcgagcccagcaccttcttggtgtgcccaccctg  
 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacacccctcatatccctgtccctc  
 agccataccaacatcctgatgctagactctgcccagcctgcggcctgcatgccctgccccttccctattcatggac  
 ggcaactgttattacaagaacccctgcaggcaggcactggagggtggccccgggtgccctccttgccctgggcaac  
 ctccacctgtcactcaagtacaacaacctcactgtggtgcccgcgaacctgcccctccagcctggagtatctg  
 55 ctggtgtcctacaaccgcatcgtcaaacctggcgccctgaggacctggccaatctgaccgcccctgctgtgctcgat  
 gtggggggaaattgcccgcgctgagaccagctcccaacccctgcatggagtgcctcctcacttccccagcta  
 catcccgataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaat  
 gccagttgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcact

- 28 -

5 aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagggtgtcc  
 ttgtccacactgtctctggcccttcttcgggagcctggtcgccctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccacgctccggccactggcccgctgcccatgtccagactctgcgtctgcagatg  
 aacttcatcaaccaggcccagctcggcatcttcaggggccttccctggcctgcgctacgtggacctgtcggacaac  
 10 cgcatcagcggagcttccggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggaccttgctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 acctggatctgtcacggaacaacctggtgacctgagccggagatgtttgccagctctcgacactgcagtg  
 ctgacctgagccacaactgcatctcgaggcagtcagtccctccagttcctgcccgtgacgggtctgcaggtg  
 ctgacctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccgcgactggagggcctg  
 15 gacctcagctacaacagccagccctttggcatgcagggcggtggccacaacttcagcttctggctcacctgcgc  
 acctgcccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cgggacctggacttcagcggcaatgactgggcatatgtgggcccaggaggacctctatctgcacttcttccaa  
 ggcctgagcgggttgatctggctggactgtcccagaaccgcctgcacacctcctgccccaaacctgcgcaac  
 ctccccaaagagcctacaggtgctgctctccgtgacaattacctggccttctttaagtggtggagcctccacttc  
 20 ctgccccaaactggaagtcctcgacctggcaggaaccggctgaaggccctgaccaatggcagcctgcctgctggc  
 acccgctccggaggctggatgtcagctgcaacagcatcagcttcgtggccccggcttctttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgcctcgaagcagtggaactcctgggttgggccccctggcgagt  
 gccctgcaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttatggacttctgctg  
 gaggtgcaggctgccgtgccgggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 atcttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.  
25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine  
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'-N_1X_1CGX_2N_2-3'$$

wherein  $X_1$  and  $X_2$  are nucleotides, N is any nucleotide, and  $N_1$  and  $N_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $X_1$  is adenine, guanine, or thymine and/or  $X_2$  is cytosine, adenine, or thymine. In other embodiments  $X_1$  is cytosine and/or  $X_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.

Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs, such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.



- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory  
25 nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNA<sup>later</sup>™ (Ambion®, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZerO™ - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;



- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.  
5
2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.  
10
4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.  
15
5. A vector comprising the nucleic acid of any of claims 3-4.
6. A cell comprising the vector of claim 5.  
20
7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.
8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
25 aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
30 generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with  
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a  
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the  
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred  
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5        12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10        14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15        contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
             measuring a signal in response to the contacting; and  
             identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20        17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

18. The method of claim 17, wherein the reporter gene is operatively linked to a  
25        promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30        20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGC GTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT,  
5 GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the  
10 contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

15 23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

# Figure 1 (1/3)

```

feline      MGPCGHGALHPLSLVQAAALAVALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLVQAAALALALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWFLKSVPRFSAGA 59
porcine     MGP-RCTLHPLSLVQVTAALAAALAEGLTLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 59
horse       MGPCGHGALQPLSLVQAAALAVALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 60
human       MGFCRSALHPLSLVQAIMLAMPALAGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLVQAAVLAALALGTLPFAFLPCELKPHGLVDCNWFLKSVPHFSAAE 60
*           :*****. **:* * *.*****: :* *:*****:***.

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFPCMTIEPNTFL 120
bovine      PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
mouse       PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
ovine       PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
porcine     PRANVTSLSLISNRIHHLHDSDFVHLSSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 119
horse       PRDNVTSLSLISNRIHHLHDSDFVHLSSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120
human       PRGNVTSLSLISNRIHHLHDSDFVHLSSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120
rat         PRSNITSLSLIANRIHHLHNLDFVHLNVRQLNLKWNCPAGLSPLHFSRCMTIEPKTFL 120
** *:*****:*****: **::: :: ***** .***.***:***** ***

feline      AVPTLEELNLSYNSITTPALPSSIVLSLSRTNIVLDPANLAGLSLRFELDGNCCYY 180
canine      AVPTLEELNLSYNSITTPALPSSIVLSLSRTNIVLDPATLAGLYALRFELDGNCCYY 180
bovine      AVPTLEELNLSYNGITTPALPSSIVLSLSRTNIVLDPATLAGLYALRFELDGNCCYY 179
mouse       AVPTLEELNLSYNGITTPALPSSIVLSLSRTNIVLDPATLAGLYALRFELDGNCCYY 179
ovine       AVPTLEELNLSYNGITTPALPSSIVLSLSRTNIVLDPATLAGLYALRFELDGNCCYY 179
porcine     AVPTLEELNLSYNSITTPALPSSIVLSLSRTNIVLDPATLAGLYALRFELDGNCCYY 179
horse       AVPTLEELNLSYNGITTPALPSSIVLSLSRTNIVLDPATLAGLYALRFELDGNCCYY 180
human       AVPTLEELNLSYNNIMTPALPKSLISLSHTNIIIMLDSASLAGLHSLRFELDGNCCYY 180
rat         AMRMLEELNLSYNGITTPALPKSLISLSHTNIIIMLDSASLAGLHSLRFELDGNCCYY 180
*: ***:*****.*** **.* ***:**.* **::: ***:*** *:*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
ovine       KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
porcine     KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
horse       KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
human       KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
rat         KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
*** *:***.***:***** ***** ***:***** *:***

feline      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 300
canine      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 300
bovine      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 299
mouse       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 299
ovine       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 299
porcine     ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 299
horse       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 300
human       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 300
rat         ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLGLVLKDSLSYLN 300
***:***:***** ***** *:***:***:***** ***** *:***

feline      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 360
canine      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 360
bovine      KDWFRGLGRLQVLDLSENFLYDYITKTTFNDLTQLRLNLNLSFNHYHKKVSFAHLHLAPSF 359
mouse       KDWFRGLGRLQVLDLSENFLYDYITKTTFNDLTQLRLNLNLSFNHYHKKVSFAHLHLAPSF 359
ovine       KDWFRGLGRLQVLDLSENFLYDYITKTTFNDLTQLRLNLNLSFNHYHKKVSFAHLHLAPSF 359
porcine     TRWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 359
horse       PRWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 360
human       ASWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 360
rat         SKWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRLNLNLSFNHYHKKVSFAHLHLAPSF 360
*:***.***:***** ***** *:***:***:***** ***** *:***

```



[illegible]

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDDVTGNPLHCACGAAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDDVTANPLHCACGATFVDLLEVQ	780
bovine	GFFVRATRLLIELNLSANALKTVDPFSWFGSLAGTLKILDVSANPLHCACGAAAFVDFLLERQ	776
mouse	GFFVRATRLLIELNLSANALKTVDPFSWFGSLAGTLKILDVSANPLHCACGAAAFVDFLLEQ	776
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRLTETLNILDVSNPLHCACGAAAFVDFLLEMQ	776
porcine	GFFALAKLEEINLSANALKTVEPSWFGSMVGNLKVLDVSNPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLLEVLDVSNPLHCACGAAAFVDFLLQVQ	778
human	GFFSKALEKLRELNLSANALKTVEPSWFGFLAGSLLEVLDVSNPLHCACGAAAFVDFLLQVQ	778
rat	AFFALAVELKEVNLSHNLTKTVDRSWFGPIVMNLTVLDVSSNPLHCACGAFFVDFLLLEVQ	779
	. ** * . * *.*** * *: : *** : . * :****.:*****.*.:*: *	
feline	AAVPGLPGHVCKGSPGQLQGRSIFAQDLRLCLDEALSWDCCFG	838
canine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWCFS	840
bovine	EAVPGLSRRTVCSPGQLQGRSIFTQDLRLCLDETSLDCFG	836
mouse	EAVPGLSRRTVCSPGQLQGRSIFTQDLRLCLDETSLDCFG	836
ovine	AAVPGLSRRTVCSPGQLQGRSIFAQDLRLCLDETSLDCFG	836
porcine	AAVPGLPSRVKCGSPGQLQGH SIFAQDLRLCLDETSLWNCFG	837
horse	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSDCCFG	838
human	AAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCCFA	838
rat	TKVPGLANGVKCSPRQLQGRSIFAQDLRLCLDDVLSRDCCFG	839
	****. *.*** ***** **:*****. ** *:*** :*. :*:** :	
feline	CGDWLWYCFHLCLAWLPRRGRR--RGADALPYDAFVVFDKAQSAVADWWYNELRVLRLEER	896
canine	CGDWLWYCFHLCLAWLPRRGRR--RGVDALAYDAFVVFDKAQSSVADWWYNELRVQLEER	898
bovine	CGDWLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVFDDKQSAVADWWYNELRVQLEER	894
mouse	CGDWLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVFDDKQSAVADWWYNELRVQLEER	894
ovine	CGDWLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAFVVFDKAQSAVADWWYNELRVQLEER	894
porcine	CGDWLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVFDKAQSAVADWWYNELRVQLEER	895
horse	CGDWLWYCFHLGLAWLPRRGWQ--RGADALSIFYDAFVVFDKAQSAVADWWYNELRVLRLEER	896
human	CGDWLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDKTSQSAVADWWYNELRGQLEEC	898
rat	CGDWDWYCFHLCLAWLPLLTRGR-RSAQALPYDAFVVFDKAQSAVADWWYNELRVLRLEER	898
	*****:***** ** ** *. :*: ****.*****.**:*****:***	
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRL	956
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRL	958
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDDHTDRVSGLLRASFLLAQQRL	954
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDDHTDRVSGLLRASFLLAQQRL	954
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDDHTDRVSGLLRASFLLAQQRL	954
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQRL	955
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRL	956
human	RGRMALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRL	958
rat	RGRRALRLCLEERDWPGLQTFLFENLWASIYGRKTLFVLAHTDKVSGLLRTSFLAQQRL	958
	** * *****:****.**:*****:*.*** :*** :*:*****:*****	
feline	LEDKRDVVVLVILRPDAHRSTRYVRLRQRLCRQS VLLWHPQPSQGQSFWAQLGTALTARDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSTRYVRLRQRLCRQS VLLWHPQPSQGQSFWAQLGTALTARDNR	1018
bovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQS VLLWHPQPSQGQSFWANLGIALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQS VLLWHPQPSQGQSFWANLGIALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQS VLLWHPQPSQGQSFWANLGIALTRDNR	1014
porcine	LEDKRDVVVLVILRPDAYRSRYVRLRQRLCRQS VLLWHPQPRGQGSFWAQLGTALTARDNH	1015
horse	LEDKRDVVVLVILSPDARRSTRYVRLRQRLCRQS VLFWHPQPSQGQSFWAQLGMALTARDNR	1016
human	LEDKRDVVVLVILSPDGRRSTRYVRLRQRLCRQS VLLWHPQPSQGQSFWAQLGMALTARDNH	1018
rat	LEDKRDVVVLVILRPDAHRSTRYVRLRQRLCRQS VLLWHPQPSQGQSFWAQLSTALTARDNH	1018
	***** * . *****:*****:***** ** *****:*. *****:	
feline	HFYNQNFCRGPTTAE-----	1031
canine	HFYNQNFCRGPTTA-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFCRGPTMAE-----	1031
human	HFYNRNFCQGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	****.***.***	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
University of Saskatchewan  
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
1025 1030

<210> 2  
<211> 821  
<212> PRT  
<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15



Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
                   50                                  55                                  60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
                   65                                  70                                  75                                  80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
                   115                                  120                                  125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
                   130                                  135                                  140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
                   145                                  150                                  155                                  160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
                                   180                                  185                                  190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
                   195                                  200                                  205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

[illegible]

```
<210> 3
<211> 3099
<212> DNA
<213> Rattus norvegicus
```

<400> 3						
atggttctct	gtcgcaggac	cctgcacccc	ttgtctctcc	tggtagaggc	cgcagtgtctg	60
gctgaggctc	tggccctggg	taccctgcct	gccttcctac	cctgtgaact	gaagcctcat	120
ggcctggtag	actgcaactg	gtctctcctg	aagtctgtgc	ctcacttctc	tgccgcagaa	180
ccccgttcca	acatcaccag	cctttccttg	atcgccaacc	gcattccacca	cctgcacaac	240
ctcgactttg	tccacctgcc	caacgtgcga	cagctgaacc	tcaagtggaa	ctgtccgccc	300
cctggcctca	gccccttgca	cttctcctgc	cgcattgacca	ttgagcccaa	aaccttcctg	360
gtctatgcgca	tgtctggaaga	gtctgaacctg	agctataacg	gtattccacc	tgtgccccgc	420
ctgcccagct	ccctgacgaa	tctgagccta	agccacacca	acatcctggg	actcgatgcc	480
agcagcctcg	ctggcctgca	cagcctgcga	gttctcttca	tggacgggaa	ctgctactac	540
aagaacccct	gcaacggggc	ggtagaacgtg	accccggaag	ccttcctggg	cttgagcaac	600
ctcaccact	tgtcccttaa	gtataacaac	ctcacagagg	tgccccgcca	actgcccccc	660
agcctggagt	acctcctgct	gtcctataac	ctcatcgtca	agctgggggc	cgaagacct	720
gccaaacctga	cctcccttcg	aatgcttgat	gtgggtggga	attgcgctcg	ctgtgatcac	780

gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc	840
catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctgctgaac	900
tccaagtggg tccaggggtct ggcgaaacctc tcgggtgctgg acctaaagca gaactttctc	960
tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac	1020
ctgtccttca attactgcaa gaaggtatcg ttgcgccgcc tccacctggc aagttccttc	1080
aagagcctgg tgtcgtgca ggagctgaac atgaacggca tcttcttccg cttactcaac	1140
aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca cttcaaatg	1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg	1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag	1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcacccagc tctcccgagc	1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg	1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag	1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc	1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa	1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc	1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac	1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca	1800
gtggagtatc tggacttcag cggcaacggg gtggggcgca tgtgggacga ggaggacctt	1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag	1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt	1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg	2040
cgagacctgg acctggcagg caatctacta aaggcctga ccaacggcac cctgcctaatt	2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc	2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact	2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc	2280
aacctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc	2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc	2400
agcatctttg cgcaagacct gcggtgtgct ctggatgacg tcctttctcg ggactgcttt	2460
ggcctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcatctctgc	2520
ggctgggacg tctggtactg tttccatctg tgccctggcat ggctaccttt gctgacctgt	2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640  
 agcgcgggtg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaaggcca gtggcctcct gcgcaccagc ttcctgctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgt gttgggtgat ctgcgccttg atgcccacg ctcgcgtac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgctct tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4  
 <211> 2463  
 <212> DNA  
 <213> *Rattus norvegicus*

<400> 4  
 atggttctct gtcgcaggac cctgcacccc ttgtctctcc tgggtacaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccggtcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcctgacca ttgagcccaa aaccttctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa totgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaacctct gcaacggggc ggtgaacgtg accccggacg ccttcctggg cttgagcaac 600  
 ctacccact tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtccctataac ctcatcgta agctgggggc cgaagacct 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gcccccagac totgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccacctga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggggtc ggccaacctc tcggtgctgg acctaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca ctttcaaattg 1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggaagaagg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct caccgctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggg gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgtct tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttgt atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340
aagggtcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240



Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

- 15 -

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttgagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctggtgca 120  
 ggtgacagcg ctggctgcgg ctctggcca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgga ggcggcgga ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccactgcac gactccgact tegtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgccc cgggctggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggcgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgccc actccctcgt gtccctgtcg ctgagcgca ccaacatcct 540  
 ggtgctagac cccaccacc tcaactggcct acatgcctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc cccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgaactgcct gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccga acccctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttacgccacc tgagcgcct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgcc acctgcacct 1140  
 ggcaccctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacct 1260  
 gcgcctgcag atgaacttca ttaaccagge ccagctcagc atctttggg ccttccctgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccag 1440  
 tccactggac actctccgct cagaggactt catgccaac tgcaaggcct tcagcttcac 1500



cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcggta atggctctca 1620  
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacgggcgc tgcgtcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgc 1800  
 cctgcgtac ctgacctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgcc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacacc tctgtccacg tgccctggac aacctccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gcccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tcttttggc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttg ctgatggg ggcaacctga aagtccatga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg 2520  
 gaactgtttt ggcatctgc tgcgtggccat ggccctgggc ctggttctgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640  
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtgggcgc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtgg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagc gcctcttgcg tgccagtttc ctgctggccc agcagcgct 2940  
 gctggaggac cgcaaggac ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgtacgtg cggctgcgcc agcgcctctg ccgccagagt gtctctctt ggccccacca 3060  
 gccccgtggg cagggcagct tctgggcca gctgggcaca gcctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccggg cccacgaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgct tggggtgccc caacctgctt 3240  
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atgggcccc gctgcaccct gcacccccctt tctctcctgg tgcaggtagac agcgtctggct 60  
 gcggctctgg ccaggggcag gctgcctgcc ttcttgccct gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcggcc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcaagactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtgggaactg cccgccggct 300  
 ggcctcagcc catgcactt cccctgccac atgaccatcg agcccaacac cttcctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgcccctg 420  
 cccgactccc tcgtgtccct gtcgtgagc cgcaccaaca tcctggtgct agaccccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aacccctgcc agggggcgct ggagggtggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggagggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgctgttgct ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgctg gcttgatgtg ggggggaact gccgccgctg tgaccatgcc 780  
 cgcaaccctt gcaggagtg cccaaaggac caccccaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggccttccag ggcctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctctttggg 1080  
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140  
 accacgctcc aacctctggt ccaactgcct atgtccaga ccctgcgct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcgga accgcatcag cggagctgca aggccagtgg ccattactag ggagggtgat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgctc cagtcact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctcgcc tctcacgcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgcaaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cactgacct ggacaacct cccaaaagcc tgaagcatct gcctctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacct 2280  
 ctgcactgtg cctgtggggc gaccttcgtg ggcttctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtcggggc agctccaggg ccatagcatc 2400  
 ttgcgcaag acctgcgct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                             85                            90                            95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
                             100                            105                            110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
                             115                            120                            125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
                             130                            135                            140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
                             145                            150                            155                            160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
                             165                            170                            175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
                             180                            185                            190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
                             195                            200                            205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
                             210                            215                            220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
                             225                            230                            235                            240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
                             245                            250                            255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
                             260                            265                            270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
                             275                            280                            285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
                             290                            295                            300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305	310	315	320
Asp Tyr Ile Thr	Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg		
	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His			
	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu			
	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln			
	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn			
	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu			
	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro			
	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu			
	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp			
	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn			
	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu			
	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly			
	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His			
	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln			
	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190



Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct 60

ctggagaagc cgcattccct gtcattgggc cctactgtgc cccgcacccc ctttctctcc 120

tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttcctgc 180

cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttcctg aagtctgtgc 240

cgacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc 360  
 tcaagtggaa ctgcccgcg gccggcctca gcccctatgca cttcccctgc cgtatgacca 420  
 tcgagcccaa caccttctcg gctgtgcccc ccctggagga gctgaacctg agctacaacg 480  
 gcatcacgac cgtgcctgcc ctgcccagtt ccctcgtgtc cctgtcgtg agccacacca 540  
 gcatcctggg gctaggcccc acccacttca ccggcctgca cgcctgcgc tttctgtaca 600  
 tggacggcaa ctgctactac atgaacctt gccgcgggc cctggagggtg gcccagggc 660  
 ccctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg 720  
 tgccccgcg cctgcccccc agcctggaca ccctgctgt gtccataaac cacattgtca 780  
 ccctggcacc cgaggacctg gccaacctga ctgcctgcg cgtgcttgac gtgggtggga 840  
 actgccgcg ctgcgaccat gccgcgaacc cctgcaggga gtgcccagg aacttcccc 900  
 agctgcacc tgacacctt agtcacctga gccgcctcga aggcctgggtg ttgaaggaca 960  
 gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtcg 1020  
 acctgagtga gaacttcctc tatgactaca tcaccaagac caccatctt aacgacctga 1080  
 ccagctgcg cagactcaac ctgtccttca attaccaca gaaggtgtc ttcgcccacc 1140  
 tgcacctagc gtctccttt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200  
 tcttcttcg ctccctcacc aacatcacgc tccagtcgt gaccggctg cccaagctcc 1260  
 agagtctgca tctgcagctg aacttcctca accaggccca gctcagcatc tttggggcct 1320  
 tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag 1380  
 cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgcc aggggcctcg 1440  
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccagctgc aacctcaact 1500  
 tcaccttgga cctgtcacgg aacaacctg tgacaatcca gcaagagatg tttaccgcgc 1560  
 tctccgcct ccagtgcctg cgcctgagcc acaacagcat ctgcaggcg gttaatggct 1620  
 ccagttcgt gccgtgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680  
 tgtaccatgg gcgctcattc acggagctgc cgcagctgga ggcactggac ctgagctaca 1740  
 acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc 1800  
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860  
 tcagcagcgc ctggttgccg gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920  
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980  
 tgtccgagaa ccatctgcac accctcctgc ctcgtcacct ggacaacctg cccaagagcc 2040

tgcggcagct gcgctctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcttgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc cggtctcttc gtccgcgcga ctcggtgat agagcttaac ctcagcgcca 2280  
 atgccctgaa gacagtggat ccctcctggg tgggttctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgct cacaatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggaactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccatgc 2580  
 tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg ggggcagcgg ggggaggaca ccctgctcta tgatgccgtc gtggtcttcg 2700  
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgccgggg ggcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag cttcctgctg gccagcagc 2940  
 gcctgttggg ggaccgcaag gacgtcgtag tgctggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtc cgtgcggctg cgccagcgcc tctgcgcga gagcgtctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcca g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccccct tctctcctgg tgcaggcggc ggcactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgcct gtgagctcca gcccctagt 120  
 caggtggact gcaactggct gttcctgaag tctgtgcgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgcccggc 300  
 ggctcagcc ccatgcactt ccctgcctg atgaccatcg agcccaacac cttcctggct 360

gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg	420
cccagttccc tcgtgtccct gtcgctgagc cacaccagca tcctggtgct agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg	540
aaccctgccc cgcgggccct ggaggtggcc ccaggcgccc tcctcgccct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgcccctt gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac attgtcacc tggcacccga ggacctggcc	720
aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgctg cgacctggcc	780
cgcaacccct gcagggagtg ccaaagaac ttccccaagc tgcacctga caccttcagt	840
cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa	900
gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat	960
gactacatca ccaagaccac catcttcaac gacctgaccc agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacactgc acctagcgtc ctcctttggg	1080
agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac	1140
atcacgctcc agtcgctgac ccggctgccc aagctccaga gtctgcatct gcagctgaac	1200
ttcatcaacc agggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac	1260
ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgccctggg ggaggtggac	1320
agcaggggtg aagtctggcg attgcccagg ggcctcgctc caggcccgtt ggacgccgtc	1380
agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga caatccagca agagatgttt acccgctctt cccgcctcca gtgcctgcgc	1500
ctgagccaca acagcatctc gcaggcgggt aatggctccc agttcgtgcc gctgaccagc	1560
ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg	1620
gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag	1680
ggcgtggggc acaacctcag cttcgtggcc cagctgccct cctgcgcta cctcagcctt	1740
gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc	1800
ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc	1860
tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc	1920
ctcctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac	1980
aataacctgg ccttcttcaa ctggagcagc ctgaccgtcc tgccccggct ggaagccctg	2040
gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg	2100
ctccagaagc tggacgtgag cagcaacagc atcggcttcg tgatccccgg cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgctc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttctgtctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt cggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400



Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430  
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445  
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460  
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
 Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525  
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560  
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620  
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75 80
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155 160
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235 240
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 15  
 <211> 3391  
 <212> DNA  
 <213> Equus caballus

<400> 15  
 ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaagcat cctcctctgc 60  
 agctgctgcc cagtgtgcc gctggaccct ctggatcatc tccactccc tgcatgggc 120  
 ccttgccatg gtgccctgca gcccctgtct ctctgggtgc aggcggccat gctggccgtg 180  
 gctctggccc aaggcaccct gctcccttc ctgccctgtg agtccagcc ccacggcctg 240  
 gtgaactgca actggctgtt cctgaagtcc gtgcccact tctcagcagc agcaccgccg 300  
 gacaatgtca ccagccttcc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
 ttgcccacac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
 ctgagcccca tgcacttccc ctgccacatg accatcgagc ccaactttt cctggctgta 480  
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
 agtccctctg tgccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
 ctcacgggcc tgcattccct gcgcttcta tacatggatg gcaactgcta ctacaagaac 660  
 ccctgcgggc gggccctgga ggtggcccca ggccctcc ttggcctggg caacctcacc 720  
 cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc cctagcctg 780  
 gagtacctgc tgttgccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
 aaccctgcg tggagtgcac acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga 1020  
 tgggtccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc 1140  
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag 1260  
 acgctccagc cactggcccg cctgcccatg ctccagcgtc tgtatctgca gatgaacttc 1320  
 atcaaccagg ccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag cgggtggcca ccacagggga ggtggatggt 1440  
 gggagaagg tctggctgac atccagggac ctactccag gccactgga cccccagc 1500  
 tctgaggact tcatgccaag ctgcaagaac ctgagcttca ccttggaact gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc 1620  
 ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcagggtc tggacctgtc ccataacaaa ctggacctgt accatgggcg ctcgtttacg 1740  
 gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg 1800  
 ggtgtgggcc acaacctcag ctttgtggcc cagctgcca ccctgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggcc 1920  
 ctggacttca gggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaaccgg ctagacctgt ccagaatcg tctgcatacc 2040  
 ctctgccat gcacctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac 2100  
 aattacctgg cttcttcaa ttggagcagc ctgaccctcc tgcccaacct ggaaaccttg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggtccttg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcctggtttg gtttctagc aggtccctt gaagtccatg atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgctgc aggttcaggc tgccgtgcct 2460  
 ggtctgcca gccgcgtcaa gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2520  
 gcacaagacc tgcgcctctg cctggacaag tcctctcct gggactgttt tggctctca 2580  
 ttgtgtgttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640  
 ctctggtact gctccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700



gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
gactgggtgt acaatgaact gcggtgcgg ctagaggagc gccgtggcg cggggcgctc 2820  
cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
gttgtgggtg tggtaatcct gagccctgac gcccgcggtt cccgttacgt gcggctgctc 3060  
cagcgcctct gccgccagag tgtcctcttc tggccccacc agcctagtgg ccagcgcagc 3120  
ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
ttctgcccgg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16

<211> 2460

<212> DNA

<213> Equus caballus

<400> 16

atgggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagcccccac 120  
ggcctgggtga actgcaactg gctgttcctg aagtccgtgc cccacttctc agcagcagca 180  
ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaatggaa ctgcccgcc 300  
gccggcctca gcccctatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
gctgtaccca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
ctgcccagct ccctcgtgtc cctgacctg agccgcacca acatcctgca gctagacccc 480  
accagcctca cgggcctgca tgccctgctc ttcctataca tggatggcaa ctgctactac 540  
aagaaccctt gcgggcgggc cctggaggtg gcccagggc ccctccttgg cctgggcaac 600  
ctcaccacc tgtcactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720  
gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgcg ctgtgaccat 780  
gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggg tccgtggcct gggcaacctc acagtgcctg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgcc ttcgcccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttcgg ctactcagc 1140  
 cagaagacgc tccagccact ggccgcctg cccatgctcc agcgtctgta tctgcagatg 1200  
 aacttcacga accaggccca gctcggcatc ttcaaggact tccctgggtc gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatgggtggg agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggacaacc tggtaacagt ccagccagag atgtttgccc agctctcggc cctccagtgc 1500  
 ctgcgcctga gccacaacag catctcgcag ggggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620  
 tttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcgggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgtg 1800  
 tgggccttg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgctg 1920  
 cataccctcc tgccatgcac cctgggcaac ctcccaga gcttgagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220  
 gagccctcct gggttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtcgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggt 2460

&lt;210&gt; 17

&lt;211&gt; 1029

&lt;212&gt; PRT

&lt;213&gt; Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                     965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                     980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                     995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                     1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
                     1025  
  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                     20                      25                      30  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                     35                      40                      45  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                     50                      55                      60  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                      90                      95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160  
 His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240  
 Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255  
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270  
 Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285  
 Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300  
 Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320  
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335



Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> Ovis aries

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccca acttgcccgc 60  
 cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gccaggggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccg cgcttttcgg cgggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaaact gcccgcgggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagcccaaca ccttcctggc tgtgccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgccctgcct gccagttct ctcgatatcc tgcgctgag 540  
 ccgcaccagc atcctgggtg taggcccac ccacttcacc ggctgcacg cctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaacccctgc cagcaggccg tggaggtggc 660  
 cccaggcgcc ctccctggcc tgggcaacct caccgacctg tcgctcaagt acaacaacct 720  
 caccggaggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggaacctgg caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgccgcccgt gcgaccacgc ccgcaacccc tgcaaggagc gcccaaagaa 900  
 cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctogaag gcctgggtgt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgctcgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcaccaa caccacgctc eggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgccctcg gggaggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggcccg c tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttgacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560  
 taccgcctc tccgcctcc agtgctgctg cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgtgacccg cctgcgagt ctcgacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgct acctcagcct tgcgcacaaac ggcatccaca gccgcgtgtc 1860  
 acagaagctc agcagcgctt cgtgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtgggcc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcggtctt gtgacctctg gcttctttgt ccttgccaac cggtgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggtcgcttaa cagagacct 2340  
 gaatatccta gacgtgagcg ccaacccgct ccactgtgcc tgcggggcgg cctttgtgga 2400  
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gacctctctc ttggactgtt ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcgcc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgaactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcggggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat 2880  
 gtctgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tctgtctggc 2940  
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000  
 cgcctaccgg tcccgctacg tgcggctgcg ccagcgctc tgcgccaga gcgtcctcct 3060  
 ctggccccac cagccagtg gccagggtag cttctgggccc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccggaa cttctgcggg ggccccacga cagccgaata 3180

gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggcccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttctgccct gtgagctcca gcccgggggt	120
aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagcccc	180
cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc	300
ggcctcagcc ccattgcactt cccctgccgc atgaccatcg agcccaacac ctctctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgcctg	420
cccagttctc tcgtatccct gtctgtgagc cgcaccagca tcctgggtgct agggccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgcgcct gccccccagc	660
ctggacaccc tgctgtgtc ctacaaccac atcatcacc tggcaccga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcggaact gccgcgctg cgaccacgcc	780
cgcaaccct gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactggttcc ggggcctggg caggctccaa gtgtctgacc tgagtgagaa ctctctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctgggtg ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggcgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggcccagg ggcctgcctc caggcccgct ggccgcgctc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga cgatccagca ggagatgttt acccgctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgaccgcg 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccctgcgcta cctcagccctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgccctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgcc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ctttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgacccttg cttctttgtc 2160  
 cttgccaaac ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgctc 2280  
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgcgtcac gtgtggcagt ccggggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21

<211> 1032

<212> PRT

<213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr	Asp	Phe	Val	His	Phe	Val	His	Leu	Arg	Arg	Leu	Asn	Leu	Lys	Trp		
				85					90							95	
Asn	Cys	Pro	Pro	Ala	Ser	Leu	Ser	Pro	Met	His	Phe	Pro	Cys	His	Met		
				100					105							110	
Thr	Ile	Glu	Pro	Asn	Thr	Phe	Leu	Ala	Val	Pro	Thr	Leu	Glu	Asp	Leu		
				115					120							125	
Asn	Leu	Ser	Tyr	Asn	Ser	Ile	Thr	Thr	Val	Pro	Ala	Leu	Pro	Ser	Ser		
				130					135							140	
Leu	Val	Ser	Leu	Ser	Leu	Ser	Arg	Thr	Asn	Ile	Leu	Val	Leu	Asp	Pro		
				145					150							155	160
Ala	Thr	Leu	Ala	Gly	Leu	Tyr	Ala	Leu	Arg	Phe	Leu	Phe	Leu	Asp	Gly		
				165					170							175	
Asn	Cys	Tyr	Tyr	Lys	Asn	Pro	Cys	Gln	Gln	Ala	Leu	Gln	Val	Ala	Pro		
				180					185							190	
Gly	Ala	Leu	Leu	Gly	Leu	Gly	Asn	Leu	Thr	His	Leu	Ser	Leu	Lys	Tyr		
				195					200							205	
Asn	Asn	Leu	Thr	Val	Val	Pro	Arg	Gly	Leu	Pro	Pro	Ser	Leu	Glu	Tyr		
				210					215							220	
Leu	Leu	Leu	Ser	Tyr	Asn	His	Ile	Ile	Thr	Leu	Ala	Pro	Glu	Asp	Leu		
				225					230							235	240
Ala	Asn	Leu	Thr	Ala	Leu	Arg	Val	Leu	Asp	Val	Gly	Gly	Asn	Cys	Arg		
				245					250							255	
Arg	Cys	Asp	His	Ala	Arg	Asn	Pro	Cys	Arg	Glu	Cys	Pro	Lys	Gly	Phe		
				260					265							270	
Pro	Gln	Leu	His	Pro	Asn	Thr	Phe	Gly	His	Leu	Ser	His	Leu	Glu	Gly		
				275					280							285	
Leu	Val	Leu	Arg	Asp	Ser	Ser	Leu	Tyr	Ser	Leu	Asp	Pro	Arg	Trp	Phe		
				290					295							300	
His	Gly	Leu	Gly	Asn	Leu	Met	Val	Leu	Asp	Leu	Ser	Glu	Asn	Phe	Leu		
				305					310							315	320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro



545	550	555	560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu	565	570	575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg	580	585	590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser	595	600	605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg	610	615	620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn	625	630	635
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser	645	650	655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp	660	665	670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly	675	680	685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln	690	695	700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro	705	710	715
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala	725	730	735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly	740	745	750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys	755	760	765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro	770	775	780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                                      665                                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
                  675                                      680                                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
                  690                                      695                                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
 705                                      710                                      715                                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
    725                                      730                                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
    740                                      745                                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
    755                                      760                                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
    770                                      775                                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785                                      790                                      795                                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
    805                                      810                                      815  
 Ser Trp Val Cys Phe Ser  
    820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgcccagc ctgccagcca 60  
 gacctcttgg agaagcccc gtcacctgtc atgggcccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttcctgc cctgtgagct ccagcccat ggcttggtga actgcaactg gctgttcctc 240  
 aagtccgtgc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccgcgc gccagcctca gcccacatgca ctttcctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccgc ctgcccagtt cgcttggtgc cctgtccctg	540
agccgcacca acatcctggt gctggacct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaaccct gccagcaggc cctgcaggtg	660
gcccaggtg ccctcctggg cctgggcaac ctacacacc tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtcctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgctcctgat	840
gtgggtggga actgtcgccg ctgtgacct gcccgtaacc cctgcaggga gtgcccgaag	900
ggcttcccc agctgcacc caacaccttc ggccacctga gccacctga aggcctggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttcctg tatgactgca tcaccaaacc caaagccttc	1080
tacggcctgg ccggtgcgc cagactcaac ctgtccttca attatcataa gaagggtgtc	1140
tttgcccacc tgcatctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccagc tccagtcgt ggccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggcca gctcagcatc	1320
ttcggcgcct tcctggact gcggtacgtg gacttgctag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcccggg accttgctct gggcccactg ggcacccccg gctcagaggc cttcatgccg	1500
agctgcagga ccctcaactt caccttgga ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggt ggcgcgctc cagtgcctgg gcctgagcca caacagcatc	1620
tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcggtca cggagctgcc gcggtggag	1740
gccttggaac tcagctacaa cagccagccc ttcagcatgc gggcggtggg ccacaatctc	1800
agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgacaaa tggcatccac	1860
agccgcgtgt ccagcagct cgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctgggtc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gggctcctg cggtccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctaccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220  
agcggcaaca gcacggcctt cgtggtcccc agcttttttg ccttgccgt gaggttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctgggt tggttccttg 2340  
gcggtgccc tgaaagtctt agacgtgacc gccaacccct tgcattgcgc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcctggacg aagcgtcttc ctgggtctgt ttcagcctct cgtgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cgggcgggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggctctcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgcgtggg cgccgggggc tacgcctgtg tctggaggaa 2820  
cgtgactggg taccgggcaa aaccctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggccgcacg gacagagtca gcggcctcct gcgtgccagc 2940  
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctggtgatc 3000  
ctgtgccccg acgcccaccg ctcccgctat gtgcggctgc gccagcgctt ctgcccag 3060  
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccggcacttc tacaaccaga acttctgccc gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgcccct acaccctgcc tgtctgtctg 3240  
ggatgcccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggg agac 3334

&lt;210&gt; 24

&lt;211&gt; 2466

&lt;212&gt; DNA

&lt;213&gt; Canis familiaris

&lt;400&gt; 24

atggggccct gccgtggcg cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgcta 60  
gccctggccc tggcccaggg caccctgcct gccttcctgc cctgtgagct ccagcccat 120  
ggcctggtga actgcaactg gctgttcctc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgcgga acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccggcc 300



gccagcctca gcccacatgca ctttcctgt cacaatgacca ttgagcccaa caccttcctg 360  
 gctgtgcca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccagcaggc cctgcagggt gcccagggt cctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgtctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgcccctgg tgctctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgtaacc cctgcaggga gtgcccacag ggcttcccc agctgcacc caacaccttc 840  
 ggccacctga gccacctga aggcctgggt ttgagggaca gctctctcta cagcctggac 900  
 cccagggtgt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaaac caaagccttc tacggcctgg ccgggtcgag cagactcaac 1020  
 ctgtccttca attatcataa gaagggtgtc ttgcccacc tgcatctggc atcctccttc 1080  
 gggagcctac tgtcccctga ggagctggac atacatggca tcttcttccg ctgctcagc 1140  
 aagaccagc tccagtcgct ggccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
 aactttatca gccaggcca gctcagcatc ttccggcct tccctggact gcggtagctg 1260  
 gacttgctag acaaccgcat cagtggagct gcagagccc cggtgcccac aggggaggta 1320  
 gaggcagact gtggggagag agtctggcca cagtccggg acctgtctt gggccactg 1380  
 ggccccccg gctcagaggc cttcatgccc agctgcagga cctcaactt caccttgac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggc ggcgcgctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gcggctggag gccttgacc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agcctgccc 1740  
 tacctcagcc tggcgacaaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800  
 tcgctccggg ccttggaactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctgggtc agctggacct gtcccagaat 1920  
 cgctgcata cctcctgcc acgcaacctg gacaacctc ccaagagcct gcggctcctg 1980  
 cggctccgtg acaattacct ggcttcttc aactggagca gcctggcct cctaccaag 2040

```

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtggtcccc 2160
agcttttttg ccctggcgtg gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220
acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtct agacgtgacc 2280
gccaaccctc tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340
gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
cgcagcatct tcgcacagga cctgcgcctc tgctggacg aagcgctctc ctgggtctgt 2460
ttcagc 2466

```

&lt;210&gt; 25

&lt;211&gt; 1031

&lt;212&gt; PRT

&lt;213&gt; Felis catus

&lt;400&gt; 25

```

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
          20           25           30

```

```

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
          35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

```

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
          85           90           95

```

```

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
          100          105          110

```

```

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115           120           125

```

```

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130           135           140

```

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
	705	710 715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
	785	790 795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495



Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

```
<210>    27
<211>   3235
<212>   DNA
<213>   Felis catus

<400>    27
aggggtctgcg agctccaggc attcttctct gccatcgctg ccagtgctgc catccagacc      60
ctctggagaa gccccactc cctgtcatgg gccctgccca tggcgccctg caccttcctgt     120
ctctcctggt gcaggetgcc gcgctggccg tggccctggc ccagggcacc ctgcctgcct     180
ttctgccttg tgagctccag cgccacggcc tggagaattg cgactggctg ttctctaagt     240
ccgtgccccca cttctcggcg gcagcgcccc gtggtaacgt caccagcctt tccttgtact     300
ccaaccgcat ccaccacctc caögaactcg actttgtcca cctgtccagc ctgcggcgctc     360
tcaaactcaa atggaactgc ccaccgcca gcctcagccc catgcacttc ccctgtcata     420
tgaccattga gccccacacc ttcttggccg tgcccaccct ggaggagctg aaactgagct     480
acaacagcat cacgacagta ccgcctctgc ccagttccct cgtgtccctg tccttgagcc     540
gtaccaacat cctgggtgctg gacctgccca acctcgcagg gctgcactcc ctgcgctttc     600
tgttcttggg tggcaactgc tactacaaga accctgccc gcaggccctg caggtggccc     660
cgggcgccct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca     720
ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca     780
```

tcatcacctt	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaacccctg	tatggagtgc	cccaagggct	900
tcccgacact	gcacccctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgtga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcg	ctcagcgaga	ccacgctccg	gtcgctggtc	cacctgcccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcatcaatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcca	tacgtggacc	tgtcagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcacccta	gctccgaggg	cttcattgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggt	ctcgcgctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggtggag	gccttggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcggtgg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgcacaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttccg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcacctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tgacactggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgcc	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgccctcaag	acggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaagtcct	agatgtgact	ggcaaccccc	tgactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtea	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgctggatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc cggcgggggg cggcgggggg gcgcggatgc cctgcoctac gatgcctttg 2700  
 tggctcttca caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgcgctgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacagggta gcggcctctt gcgcgccagc tttctgctgg 2940  
 ccagcagcg cctgctggag gaccgcaagg acgttggtgt gctggatgc ctgcgccccg 3000  
 acgcccaccg ctcccgctat gtgcggctgc gccagcgctt ctgccgccag agcgtcctcc 3060  
 tctggcccga ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggcccccac acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atgggcccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctggtga attgcgactg gctgttcttc aagtccgtgc ccacttctc ggcggcagcg 180  
 ccccgaggta acgtcaccag ctttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgccacccc 300  
 gccagcctca gcccctgca cttcccctgt cacatgacca ttgagcccca caccttcttg 360  
 gccgtgcccc cctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcgc 420  
 ctgcccagtt ccctcgtgtc cctgtccttg agccgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaacccct gcccgaggc cctgcagggt gcccggggcg ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcccgtgc tgtgctgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgaacc cctgtatgga gtgcccgaag ggcttcccg cactgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900

```

cccagatggt tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttccta      960
tatgactgca tcacaaaac cacagccttc cagggcctgg ccagctgcg cagactcaac      1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc      1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttccg ctgctcagc      1140
gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg      1200
aacttcatca atcaggccca gctcagcatc ttcggggcct tccttggcct gcgatacgtg      1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg      1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc      1380
cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca      1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc      1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gctcacaatt tatgccgctg      1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct      1620
ttcacggagc tgccgcggtt ggaggccctg gacctcagct acaacagcca gcccttcagc      1680
atgcagggcg tgggtcacaa cctcagcttt gtggcacagc tgccggccct gcgctatctc      1740
agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg      1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat      1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtcca gaatcgctg      1920
cataccctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc      1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa      2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga      2100
accagctcc agaggtgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt      2160
tttgctctgg ccaccaggct gcgagagctc aacctcagtg ccaacgccct caagacggtg      2220
gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac      2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca      2340
gtgcccgcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc      2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc      2460

```

&lt;210&gt; 29

&lt;211&gt; 1032

&lt;212&gt; PRT

&lt;213&gt; Mus musculus

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr	Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg					
	245			250		255
Arg Cys Asp His	Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser					
	260		265			270
Leu His Leu His	Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly					
	275		280			285
Leu Val Leu Lys	Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe					
	290		295		300	
Gln Gly Leu Val	Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu					
305		310		315		320
Tyr Glu Ser Ile	Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu					
	325		330			335
Arg Lys Leu Asn	Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala					
	340		345			350
Arg Leu His Leu	Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu					
	355		360			365
Leu Asn Met Asn	Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu					
	370		375			380
Arg Trp Leu Ala	Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met					
385		390		395		400
Asn Phe Ile Asn	Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala					
	405		410			415
Leu Arg Phe Val	Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr					
	420		425			430
Leu Ser Gly Ala	Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu					
	435		440			445
Leu Leu Ser Ala	Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser					
	450		455			460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700



Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31  
<211> 3200  
<212> DNA  
<213> Mus musculus

<400> 31  
tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact 60  
ctgcacccct tgtccctcct ggtacaggct gcagtgctgg ctgagactct ggccttgggt 120  
accctgcttg ccttcctacc ctgtgagctg aagcctcatg gcctgggtga ctgcaattgg 180  
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg 240  
ctctccttga tctccaaccg tatcaccac ctgcacaact ccgacttcgt ccacctgtcc 300  
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag ccccttgca 360  
ttctcttgcc acatgacat tgagcccaga accttctctg ctatgctac actggaggag 420  
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat 480  
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac 540  
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg 600  
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcacctatct gtctctgaag 660  
tataacaacc tcacaaaggt gccccgcaa ctgccccca gcctggagta cctcctgggtg 720  
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttctga 780  
gtacttgatg tgggtgggaa ttgccgtcgc tgcgacctg cccccaatcc ctgtatagaa 840  
tgtggccaaa agtccctcca cctgcacct gagaccttc atcacctgag ccatctggaa 900  
ggcctgggtg tgaaggacag ctctctccat acactgaact cttcctgggt ccaagggtctg 960  
gtcaacctct cgggtgctga cctaagcgag aactttctct atgaaagcat caaccacacc 1020  
aatgcctttc agaacctaac ccgctgcgc aagctcaacc tgtccttcaa ttaccgcaag 1080  
aaggatccct ttgcccgcct ccacctggca agttccttca agaacctgggt gtcactgcag 1140  
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg 1200  
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag 1260  
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgctaga caatcgcatc 1320  
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag 1380  
gagctgttgt ctgcggatcc tcaccagct cactgagca cccctgcttc taagaacttc 1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgctccagt gtcttagcct gagccacaac	1560
tccattgcac aggtgtgcaa tggctctcag ttcttgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgcg gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatatcct ccggccccag	1980
aaccttgaca acctcccca gagcctgaag ctgtgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttctg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttgag gtgcagacca aggtgcctgg cctggcctaat	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggtgtgcc tggatgaggt cctctcttg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtgggcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgccgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctggtggaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtctg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggctggtgg actgcaattg gctgttcctg aagtctgtac ccgtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgctg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggg tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctc gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600  
 ctcaccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggg gtcctataac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctgggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctctgt tccaaggctc ggtcaacctc tcgggtgctgg acctaacgga gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa ccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc tttgcccgc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc acactctgca tottcaaagt 1200  
 aacttcacat accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggect tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgaggatc ctcaccacgc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560



```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtcctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
ggcacccctc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cagtctctaga cgtgagaagc 2280
aacctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aaggcgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1          5          10          15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20          25          30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35          40          45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50          55          60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65          70          75          80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                                   115                                  120                                  125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                                   130                                  135                                  140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                                   145                                  150                                  155                                  160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                                   180                                  185                                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                                   195                                  200                                  205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                                   260                                  265                                  270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                                   275                                  280                                  285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                                   290                                  295                                  300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305		310		315		320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu	325		330		335	
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala	340		345		350	
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu	355		360		365	
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu	370		375		380	
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met	385		390		395	400
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly	405		410		415	
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu	420		425		430	
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu	435		440		445	
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu	450		455		460	
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser	465		470		475	480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser	485		490		495	
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val	500		505		510	
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu	515		520		525	
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu	530		535		540	

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

- 101 -



Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta ctctctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagaccct 120

ctggagaagc ccttgccccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctggt cctgaagtct 300

gtgccccact tctccatggc agcaccctgt ggcaatgtca ccagcctttc cttgtcctcc 360  
 aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc 420  
 aacctcaagt ggaactgccc gccggttgge ctcagcccca tgcacttccc ctgccacatg 480  
 accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac 540  
 aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat 600  
 accaacadcc tgatgctaga ctctgccagc ctgcgcggcc tgcattgccct gcgcttccta 660  
 ttcatggacg gcaactgtta ttacaagaac ccttgccaggc aggcactgga ggtggccccg 720  
 ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact 780  
 gtggtgcccc gcaacctgcc ttccagcctg gattatctgc tgttgtccta caaccgcatc 840  
 gtcaaaactgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900  
 ggaaattgcc gccgctgcga ccacgctccc aaccctgca tggagtgcct tcgtcacttc 960  
 cccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020  
 gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt 1080  
 ctggacctga gtgagaactt cctctacaaa tgcattacta aaaccaaggc cttccagggc 1140  
 ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc 1200  
 cacctgtctc tggccccttc cttcgggagc ctggtcgcct tgaaggagct ggacatgcac 1260  
 ggcattctct tccgctcact cgatgagacc acgctccggc cactggcccg cctgcccatt 1320  
 ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg 1380  
 gccttccctg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag 1440  
 ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500  
 cttgtctcgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc 1560  
 ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt 1620  
 gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc 1680  
 aatggctccc agttcctgcc gctgaccggt ctgcaggtgc tagacctgtc ccgcaataag 1740  
 ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc 1800  
 agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct 1860  
 cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc 1920  
 cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggcat 1980  
 atgtggggcg agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg 2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaacctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggc ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcctggtttg ggccccctggc gagtgccttg 2400  
 caaatactag atgtaagcgc caacctctg cactgcgct gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccgggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttcgtggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gaaaaacct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940  
 acgtgtttg tgetggcca cacggaccgg gtcagtggc tcttgcgcg cagcttctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tgggtgctggt gatcctgagc 3060  
 cctgacggcc gccgctcccg ctacgtgagg ctgcccagc gcctctgccc ccagagtgtc 3120  
 ctctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccagg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggcttgacc ctccccgtc cgcctccctc accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gccgcagcgc cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgaccc tggccctggg taccttgcc gccttctac cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttctg aagtctgtgc cccacttctc catggcagca 180  
 ccccgctggca atgtcaccag ctttctctg tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg 300  
 gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg 360  
 gctgtgcccc ccttgaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg 420  
 ctgccccaaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct 480  
 gccagcctcg cgggcctgca tgcctgcgc ttcctattca tggacggcaa ctgttattac 540  
 aagaaccct gcaggcaggc actggaggtg gcccgggtg cctccttg cctgggcaac 600  
 ctcaccacc tgtcactcaa gtacaacaac ctactgttg tgcgcgcaa cctgccttc 660  
 agcctggagt atctgctgtt gtcctacaac cgcctgtca aactggcgcc tgaggacctg 720  
 gccaatctga ccgcctgcg tgtgctcgat gtggcgga attgccgcg ctgcgaccac 780  
 gctcccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc 840  
 agccacctga gcgctctga aggcctgtg ttgaaggaca gttctctctc ctggctgaat 900  
 gccagtgggt tccgtgggct gggaaacctc cgagtgttg acctgagtga gaacttcctc 960  
 taaaaatgca tactaaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac 1020  
 ctgtccttca attacaaaa gaggtgttc ttgcccacc tgtctctggc ccttccttc 1080  
 gggagcctgg tcgacctgaa ggagctggac atgcacggca tcttcttcg ctactcgat 1140  
 gagaccacgc tccggccact ggccgcctg cccatgctcc agactctgcg tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcagggcct tccctggcct gcgtacgtg 1260  
 gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca 1320  
 gatggagggg agaaggtctg gctgcagcct ggggaccttg ctccggcccc agtggacact 1380  
 cccagctctg aagacttcag gcccaactgc agcacctca acttcacctt ggatctgtca 1440  
 cggaacaacc tggtgacctg gcagccggag atgtttgcc agctctcgca cctgcagtgc 1500  
 ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgctg 1560  
 accggtctgc aggtgctaga cctgtcccg aataagctgg acctctacca cgagcactca 1620  
 ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc 1680  
 atgcagggcg tgggcccaa cttcagcttc gtggctcacc tgcgcacct gcgccacctc 1740  
 agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgctg 1800  
 cgggccttg acttcagcgg caatgcactg ggccatatgt gggccgagg agacctctat 1860  
 ctgcacttct tccaaggcct gagcggttg atctggctgg acttgtccca gaaccgcctg 1920  
 cacacctcc tgcacaaaac cctgcgcaac ctcccaaga gcctacaggt gctgcgtctc 1980  
 cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttcctgcc caaactggaa 2040

gtcctcgacc tggcaggaaa ccggetgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcacia a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence



<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgctgctttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                  25                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                  5                  10                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                  25                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<400> 70
tccaggactt ctctcaggtt 20
```

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ BLACK BORDERS

☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☐ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☒ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)